



CONTENTS

Taconova Replacement Guide

How to find the right circulator	3
How to read the replacement table	3

Product overview	10
------------------------	----

TACO - TACO

Single pumps	12
DHW circulation pumps	12

TACO - TacoFlow

Single pumps	13
DHW circulation pumps	13

DAB - TacoFlow

Single pumps	14
DHW circulation pumps	16

GRUNDFOS - TacoFlow

Single pumps	17
DHW circulation pumps	25

KSB - TacoFlow

Single pumps	26
DHW circulation pumps	30

LOWARA - TacoFlow

Single pumps	31
DHW circulation pumps	34

SALMSON - TacoFlow

Single pumps	35
DHW circulation pumps	40

WILO - TacoFlow

Single pumps	41
DHW circulation pumps	46

TACONOVA REPLACEMENT GUIDE

HOW TO FIND THE RIGHT CIRCULATOR

Step 1 | Identifying the old circulator



Step 2 | Replace the old circulator with the new TacoFlow high-efficiency circulator

Depending on the design of the new high-efficiency circulator, variations may occur in the following data:

Port-to-port length	Motor type	Pipe connection
Data given in "L [mm]" column	Data given in "1~ & 3~" columns	Data given in "G/DN" column

The column "Adaptation/Note" gives more information about the installation

- F** Flange adapters required
- PM** Pipe modification required
- WP** Adapt and redetermine the circulator performance in consideration of the working point of the heating system.
The new TacoFlow circulator may not cover the entire hydraulic range of the old circulator replaced.

WARNING! All the TacoFlow high-efficiency circulators are single-phase version

HOW TO READ THE REPLACEMENT TABLE

Old circulator						New TacoFlow circulator			
Type	1~	3~	PN	G/DN	L [mm]	TacoFlow Type	G/DN	L [mm]	Adaption/Note
Old circulator type						New TacoFlow circulator type			
1x230 V, 50 Hz, single-phase motor						Pipe connection			
3x400 V, 50 Hz, three-phase motor						Port-to-port length [mm]			
Maximum operating pressure [bar]						Installation information			
		Pipe connection							
		Port-to-port length [mm]							

TACONOVA AUSTAUSCHSPIEGEL

SO FINDET MAN DIE RICHTIGE UMWÄLZPUMPE

Schritt 1 | Die alte Umwälzpumpe identifizieren



Schritt 2 | Die alte Umwälzpumpe mit der neuen TacoFlow hocheffizienten Umwälzpumpe ersetzen

Abhängig vom Aufbau der hocheffizienten Umwälzpumpe können Abweichungen bei den folgenden Angaben auftreten

Einbaulänge	Motor-Typ	Rohranschluss
Angabe in Spalte "L [mm]"	Angabe in Spalte "1- & 3-"	Angabe in Spalte "G/DN"

Die Spalte **"Anpassung / Note"** enthält weitere Informationen über die Installation

- F** Geflanschter Adapter erforderlich
PM Rohrveränderung erforderlich
WP Anpassung und Bestimmung der Leistung der Umwälzpumpe unter Berücksichtigung des Betriebspunktes des Heizsystems.
 Umwälzpumpe könnte nicht den gesamten Hydraulikbereich der ersetzten Umwälzpumpe abdecken.

WARNUNG! Alle TacoFlow Hocheffizienz-Umwälzpumpen sind einphasig

WIE LIEST MAN DIE AUSTAUSCHTABELLE

Alte Umwälzpumpe						Neue TacoFlow Umwälzpumpe			
Type	1~	3~	PN	G/DN	L [mm]	TacoFlow Type	G/DN	L [mm]	Adaption/Note
Umwälzpumpe – altes Modell						Taco Umwälzpumpe – neues Modell			
1x230 V, 50 Hz, Einphasenmotor						Rohranschluss			
3x400 V, 50 Hz, Dreiphasenmotor						Achsabstand [mm]			
Maximaler Betriebsdruck [bar]						Montagehinweise			
		Rohranschluss							
		Achsabstand [mm]							

GUIDA ALLA SOSTITUZIONE TACONOVA

COME SCEGLIERE IL CIRCOLATORE GIUSTO

Step 1 | Identificare il vecchio circolatore



Step 2 | Sostituire il vecchio circolatore con il nuovo circolatore ad alta efficienza TacoFlow

A seconda della struttura del circolatore ad alta efficienza possono esserci degli scostamenti per quanto riguarda i seguenti dati:

Ingombro in lunghezza	Tipo di motore	Attacco
Indicazione riportata nella colonna "L [mm]"	Indicazione riportata nella colonna "1~ & 3~"	Indicazione riportata nella colonna "G/DN"

La colonna "Adattamento/Note" fornisce ulteriori informazioni in merito all'installazione

- F** Richiesto adattatore flangiato
- PM** Richiesta modifica della tubazione
- WP** Adattare e individuare le prestazioni del circolatore considerando il punto di esercizio dell'impianto di riscaldamento.
Il nuovo circolatore TacoFlow non può coprire l'intero campo idraulico del circolatore sostituito.

ATTENZIONE! Tutti i circolatori ad alta efficienza TacoFlow hanno alimentazione monofase.


COME LEGGERE LA TABELLA PER LA SOSTITUZIONE

Vecchio circolatore						Nuovo circolatore TacoFlow			
MODELLO	1~	3~	PN	G/DN	L [mm]	Modello TacoFlow	G/DN	L [mm]	Adattamento/ Note
Vecchio circolatore						Nuovo circolatore TacoFlow			
1x230 V, 50 Hz, motore monofase							Attacco		
3x400 V, 50 Hz, motore trifase							Interasse [mm]		
Pressione massima del sistema [bar]							Informazioni sull'installazione		
			Attacco						
			Interasse [mm]						

GUÍA DE SUSTITUCIÓN TACONOVA

ESTA ES LA FORMA PARA ENCONTRAR LA BOMBA DE RECIRCULACIÓN CORRECTA

Paso 1 | Identificar la bomba de recirculación antigua



Paso 2 | Sustituir la bomba de recirculación existente con la nueva bomba de recirculación de alta eficiencia TacoFlow

Dependiendo del diseño de la bomba de recirculación de alta eficiencia pueden presentarse desviaciones en los siguientes valores:

Longitud de montaje Valores en la columna «L [mm]»	Tipo de motor Valores en la columna «1~ & 3~»	Conexión del tubo Valores en la columna «G/DN»
--	---	--

La columna «Adaptación/nota» contiene información adicional sobre la instalación.

- F** Adaptador con brida necesario
- PM** Modificación de tubería necesaria
- WP** Adaptación y determinación de la potencia de la bomba de recirculación tomando en cuenta el punto de operación del sistema de calefacción. En este caso, la nueva bomba de recirculación TacoFlow no puede cubrir todo el rango hidráulico de la bomba de recirculación sustituida.

¡ADVERTENCIA! Todas las bombas de recirculación de alta eficiencia TacoFlow son monofásicas.

ESTA ES LA FORMA DE LEER LA TABLA DE SUSTITUCIONES

Bomba de recirculación antigua

TIPO	1~	3~	PN	G/DN	L [mm]
Bomba de recirculación antigua					
1x230 V, 50 Hz, motor monofásico					
3x400 V, 50 Hz, motor trifásico					
Presión máxima de funcionamiento [bar]					
Conexión del tubo					
Distancia entre ejes [mm]					

Nueva bomba de recirculación TacoFlow

Tipo de TacoFlow	G/DN	L [mm]	Adaptación/nota
Nueva bomba de recirculación TacoFlow			
Conexión del tubo			
Distancia entre ejes [mm]			
Instrucciones de montaje			

GUIDE DE REMPLACEMENT TACONOVA

COMMENT TROUVER LE BON CIRCULATEUR

Étape n°1 | Identifier les références du circulateur usagé



Étape n°2 | Remplacer le circulateur usagé par le nouveau circulateur haute efficacité TacoFlow

Les données suivantes peuvent varier en fonction de la conception du circulateur haute efficacité :

Longueur d'incorporation	Type de moteur	Raccord de tuyauterie
Données de la colonne « L [mm] »	Données des colonnes « 1- » et « 3- »	Données de la colonne « G/DN »

La colonne « Adaptation/Note » comporte des informations complémentaires pour l'installation

- F Bride d'adaptation requise
- PM Tuyauterie à modifier
- WP Adapter et déterminer la puissance du circulateur en tenant compte du point de fonctionnement de l'installation de chauffage.
Le nouveau circulateur TacoFlow ne couvre pas nécessairement toute la plage hydraulique du circulateur usagé.

AVERTISSEMENT ! Tous les circulateurs haute efficacité TacoFlow sont monophasés.

COMMENT LIRE LE TABLEAU DE REMPLACEMENT

Circulateur usagé						Nouveau circulateur TacoFlow			
TYPE	1-	3-	PN	G/DN	L [mm]	Type TacoFlow	G/DN	L [mm]	Adaptation/Note
Circulateur usagé						Nouveau circulateur TacoFlow			
1x230 V, 50 Hz, moteur monophasé						Raccord de tuyauterie			
3x400 V, 50 Hz, moteur triphasé							Entraxe [mm]		
Pression de service maximale [bar]							Remarques pour le montage		
Raccord de tuyauterie									
Entraxe [mm]									

PORADNIK WYMIANY TACONOVA

JAK ZNALEŹĆ WŁAŚCIWĄ POMPĘ OBIEGOWĄ

Krok 1 | Identyfikacja starej pompy obiegowej



Krok 2 | Wymiana istniejącej pompy obiegowej na nową, wysokowydajną pompę obiegową TacoFlow

W zależności od modelu wysokowydajnej pompy obiegowej mogą wystąpić różnice w odniesieniu do poniższych danych:

Długość montażowa wielkość w kolumnie „L [mm]”	Typ silnika wielkość w kolumnie „1~ & 3~”	Przyłącze rurowe wielkość w kolumnie „G/DN”
--	---	---

Kolumna „Adaptacja / Uwagi” zawiera dalsze informacje na temat instalacji

- F** Wymagany adapter z kołnierzem
- PM** Wymagana zmiana rury
- WP** Dopasowanie i określenie wydajności pompy obiegowej z uwzględnieniem punktu pracy systemu grzewczego.
Nowa pompa TacoFlow może nie obejmować tutaj całego zakresu hydrauliki wymienianej pompy obiegowej.

UWAGA! Wszystkie wysokowydajne pompy obiegowe TacoFlow są jednofazowe.

JAK ODCZYTYWAĆ TABELĘ WYMIANY

Stara pompa obiegowa

TYP	1~	3~	PN	G/DN	L [mm]
Stara pompa obiegowa					
1x230 V, 50 Hz, silnik jednofazowy					
3x400 V, 50 Hz, silnik trójfazowy					
Maks. ciśnienie robocze [bar]					
Przyłącze rurowe					
Odstęp osi [mm]					

Nowa pompa obiegowa TacoFlow

Typ TacoFlow	G/DN	L [mm]	Adaptacja/Uwagi
Nowa pompa obiegowa TacoFlow			
Przyłącze rurowe			
Odstęp osi [mm]			
Wskazówki dotyczące montażu			

NÁVOD NA VÝMĚNU TACONOVA

JAK VYBRAT SPRÁVNÉ CÍRKULAČNÍ ČERPADLO

1. krok | Identifikace starého cirkulačního čerpadla



2. krok | Výměna stávajícího cirkulačního čerpadla za nové, vysoce výkonné cirkulační čerpadlo TacoFlow

V závislosti na konstrukci vysoce výkonného cirkulačního čerpadla se mohou vyskytnout odchylky u následujících údajů:

Montážní délka
Údaj ve sloupci „L [mm]“

Typ motoru
Údaj ve sloupci „1~ a 3~“

Připojení potrubí
Údaj ve sloupci „G/DN“

Sloupec „Přizpůsobení/Poznámka“ obsahuje další informace k instalaci

F Vyžadován přírubový adaptér

PM Vyžadována změna potrubí

WP Přizpůsobení a stanovení výkonu cirkulačního čerpadla s ohledem na provozní bod topného systému.
Zde nemůže nové cirkulační čerpadlo TacoFlow pokrýt celý hydraulický rozsah nahrazovaného cirkulačního čerpadla.

VAROVÁNÍ! Všechna vysoce výkonná cirkulační čerpadla TacoFlow jsou jednofázová.

JAK SE ORIENTOVAT V TABULCE PRO VÝMĚNU

Staré cirkulační čerpadlo

Nové cirkulační čerpadlo TacoFlow

TYP	1~	3~	PN	G/DN	L [mm]	Typ TacoFlow	G/DN	L [mm]	Přizpůsobení/ Poznámka
Staré cirkulační čerpadlo						Nové cirkulační čerpadlo TacoFlow			
1x230 V, 50 Hz, jednofázový motor						Připojení potrubí			
3x400 V, 50 Hz, třífázový motor						Osová vzdálenost [mm]			
Maximální provozní tlak [bar]						Montážní pokyny			
Připojení potrubí									
Osová vzdálenost [mm]									

PRODUCT OVERVIEW



TacoFlow2



Max. Head:	6 and 7 m
Power input:	Min. 3 W, max. 56 W
Operating mode:	2 variable proportional pressure curves (P1 and P2) 2 constant pressure curves (CI, CII) - Min. to max. operating mode, fixed speed
Medium temperature:	+2 °C to +95 °C
Operating pressure:	Max. 6 bar
Material:	Cast iron, CDP-coated (EN-GJL-200)
Installation length and circulator connection:	130 mm G 1", 130 mm G 1½", 180 mm G 1½", 180 mm G 2"



TacoFlow2 ADAPT



Max. Head:	6 and 7 m
Power input:	Min. 3 W, max. 56 W
Operating mode:	- activeADAPT function 3 variable proportional pressure curves (P1, P2 and P3) 3 constant pressure curves (CI, CII and CIII) - Min. to max. operating mode, fixed speed
Medium temperature:	+2 °C to +110 °C
Operating pressure:	Max. 10 bar
Material:	Cast iron, CDP-coated (EN-GJL-200)
Installation length and circulator connection:	130 mm G 1", 130 mm G 1½", 180 mm G 1½", 180 mm G 2"



TacoFlow2 eLink



Max. Head:	6 and 7 m
Power input:	Min. 3 W, max. 56 W
Operating mode:	- eLink function - activeADAPT function 2 variable proportional pressure curves (P1 and P2) 2 constant pressure curves (CI, CII) - Min. to max. operating mode, fixed speed
Medium temperature:	+2 °C to +110 °C
Operating pressure:	Max. 10 bar
Material:	Cast iron, CDP-coated (EN-GJL-200)
Installation length and circulator connection:	130 mm G 1", 130 mm G 1½", 180 mm G 1½", 180 mm G 2"



TacoFlow2 SOLAR



Max. Head:	6 and 7 m
Power input:	Min. 3 W, max. 56 W
Operating mode:	1 variable proportional pressure curve (P1) - Min. to max. operating mode, fixed speed
Medium temperature:	+2 °C to +110 °C
Operating pressure:	Max. 10 bar
Material:	Cast iron, CDP-coated (EN-GJL-200)
Installation length and circulator connection:	130 mm G 1", 130 mm G 1½", 180 mm G 1½"



TacoFlow3 MAX



Max. Head:	6, 8 and 10 m
Power input:	Min. 16 W, max. 180 W
Operating mode:	- activeADAPT function 2 variable proportional pressure curves (P1 / P2) 2 constant pressure curves (CI / CII) - Min. to max. operating mode, fixed speed - PWM / 0–10 V Control signal
Medium temperature:	–10 °C to +110 °C
Operating pressure:	Max. 10 bar
Material:	Cast iron, CDP-coated (EN-GJL-200)
Installation length and circulator connection:	180 mm G 1½", 180 mm G 2"



TacoFlow3 MAX PRO



Max. Head:	6, 8 and 10 m
Power input:	Min. 16 W, max. 180 W
Operating mode:	- activeADAPT function 5 variable proportional pressure curves (P1–P5) 5 constant pressure curves (CI–CV) - Automatic night setback function - Min. to max. operating mode, fixed speed - PWM / 0–10 V Control signal
Medium temperature:	–10 °C to +110 °C
Operating pressure:	Max. 10 bar
Material:	Cast iron, CDP-coated (EN-GJL-200)
Installation length and circulator connection:	180 mm G 1½", 180 mm G 2"



TacoFlow MAXI



Max. Head:	8, 10, 12 and 18 m
Power input:	Min. 15 W, max. 800 W
Operating mode:	10 variable proportional pressure curves 10 constant pressure curves - Min. to max. operating mode, fixed speed - Eco operating mode
Medium temperature:	–10 °C to +110 °C
Operating pressure:	Max. 10 bar
Material:	Cast iron, CDP-coated (EN-GJL-200)
Installation length and circulator connection:	220 mm DN 40, 250 mm DN 40, 240 mm DN 50, 280 mm DN 50



TacoFlow2 PURE C



Max. Head:	4 m
Power input:	Min. 4.3 W, max. 40 W
Operating mode:	Min. to max. operating mode, fixed speed
Medium temperature:	+2 °C to +95 °C
Operating pressure:	Max. 10 bar
Material:	Composite plastic
Installation length and circulator connection:	130 mm G ¾", 130 mm G 1"



TacoFlow2 PURE



Max. Head:	0.9 and 1 m
Power input:	Min. 2.5 W, max. 8 W
Operating mode:	3 fixed speeds
Medium temperature:	+5 °C to +65 °C
Operating pressure:	Max. 10 bar
Material:	Brass
Installation length and circulator connection:	65 mm Rp ¾", 110 mm G 1½"

TACO SINGLE PUMPS -> TACO PUMPS

Type	1~	3~	PN	G/DN	L [mm]	Taco Type(s)		G/DN	L [mm]	Adaption/Note
PUMP THREAD G 1										
ES 15-60/130	•		6	G 1	130	ES2 15-60/130	ES2 ADAPT 15-60/130	G 1	130	WP
ESS 15-60/130						ES2 SOLAR 15-60/130		G 1	130	WP
PUMP THREAD G1 - PUMP HOUSING WITH AIR SEPARATOR										
ES C A 15-60/130	•		6	G 1	130	ES2 C A 15-60/130		G 1	130	WP
PUMP THREAD G 1½										
ES 25-60/130	•		6	G 1½	130	ES2 25-60/130	ES2 ADAPT 25-60/130	G 1½	130	WP
ES 25-60/180	•		6	G 1½	180	ES2 25-60/180	ES2 ADAPT 25-60/180	G 1½	180	WP
ESS 25-60/130	•		10	G 1½	130	ES2 SOLAR 25-60/130		G 1½	130	WP
ESS 25-60/180	•		10	G 1½	180	ES2 SOLAR 25-60/180		G 1½	180	WP
PUMP THREAD G 2										
ES 32-60/180	•		6	G 2	180	ES2 32-60/180	ES2 ADAPT 32-60/180	G2	180	WP

TACO DHW CIRCULATION PUMPS -> TACO DHW CIRCULATION PUMPS

Type	1~	3~	PN	G/DN	L [mm]	Taco Type(s)	G/DN	L [mm]	Adaption/Note
PUMP THREAD G ¾									
E-Pure EP C 10-40/130	•		10	G ¾	130	ES2 PURE C 10-40/130	G ¾	130	WP
PUMP THREAD G1									
E-Pure EP C 15-40/130	•		10	G 1	130	ES2 PURE C 15-40/130	G 1	130	WP

TACO SINGLE PUMPS -> TACOFLOW PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
PUMP THREAD G 1									
ES 15-60/130	•		6	G 1	130	TacoFlow2 15-60/130	G 1	130	WP
ES2 15-60/130	•		6	G 1	130	TacoFlow2 15-60/130	G 1	130	WP
ES2 15-70/130	•		6	G 1	130	TacoFlow2 15-70/130	G 1	130	WP
ES2 ADAPT 15-60/130	•		10	G 1	130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
ES2 ADAPT 15-70/130	•		10	G 1	130	TacoFlow2 ADAPT 15-70/130	G 1	130	WP
ESS 15-60/130	•		10	G 1	130	TacoFlow2 SOLAR 15-60/130	G 1	130	WP
ES2 SOLAR 15-60/130	•		10	G 1	130	TacoFlow2 SOLAR 15-60/130	G 1	130	WP
ES2 SOLAR 15-70/130	•		10	G 1	130	TacoFlow2 SOLAR 15-70/130	G 1	130	WP

PUMP THREAD G1 - PUMP HOUSING WITH AIR SEPARATOR

ES C A 15-60/130	•		6	G 1	130	TacoFlow2 C A 15-60/130	G 1	130	WP
ES2 C A 15-60/130	•		6	G 1	130	TacoFlow2 C A 15-60/130	G 1	130	WP

PUMP THREAD G 1½

ES 25-60/130	•		6	G 1½	130	TacoFlow2 25-60/130		G 1½	130	WP
ES 25-60/180	•		6	G 1½	180	TacoFlow2 25-60/180		G 1½	180	WP
ES2 25-60/130	•		6	G 1½	130	TacoFlow2 25-60/130		G 1½	130	WP
ES2 25-60/180	•		6	G 1½	180	TacoFlow2 25-60/180		G 1½	180	WP
ES2 ADAPT 25-60/130	•		10	G 1½	130	TacoFlow2 ADAPT 25-60/130		G 1½	130	WP
ES2 ADAPT 25-60/180	•		10	G 1½	180	TacoFlow2 ADAPT 25-60/180		G 1½	180	WP
ESS 25-60/130	•		10	G 1½	130	TacoFlow2 SOLAR 25-60/130		G 1½	130	WP
ESS 25-60/180	•		10	G 1½	180	TacoFlow2 SOLAR 25-60/180		G 1½	180	WP
ES2 SOLAR 25-60/130	•		10	G 1½	130	TacoFlow2 SOLAR 25-60/130		G 1½	130	WP
ES2 SOLAR 25-60/180	•		10	G 1½	180	TacoFlow2 SOLAR 25-60/180		G 1½	180	WP
ES2 25-70/130	•		6	G 1½	130	TacoFlow2 25-70/130		G 1½	130	WP
ES2 25-70/180	•		6	G 1½	180	TacoFlow2 25-70/180		G 1½	180	WP
ES2 ADAPT 25-70/130	•		10	G 1½	130	TacoFlow2 ADAPT 25-70/130		G 1½	130	WP
ES2 ADAPT 25-70/180	•		10	G 1½	180	TacoFlow2 ADAPT 25-70/180		G 1½	180	WP
ES2 SOLAR 25-70/130	•		10	G 1½	130	TacoFlow2 SOLAR 25-70/130		G 1½	130	WP
ES2 SOLAR 25-70/180	•		10	G 1½	180	TacoFlow2 SOLAR 25-70/180		G 1½	180	WP
ES MAXI 25-60/180	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
ES MAXI 25-80/180	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
ES MAXI 25-100/180	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP

PUMP THREAD G 2

ES 32-60/180	•		6	G 2	180	TacoFlow2 32-60/180		G 2	180	WP
ES2 32-60/180	•		6	G 2	180	TacoFlow2 32-60/180		G 2	180	WP
ES2 ADAPT 32-60/180	•		10	G 2	180	TacoFlow2 ADAPT 32-60/180		G 2	180	WP
ES2 32-70/180	•		6	G 2	180	TacoFlow2 32-70/180		G 2	180	WP
ES2 ADAPT 32-70/180	•		10	G 2	180	TacoFlow2 ADAPT 32-70/180		G 2	180	WP
ES MAXI 32-60/180	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
ES MAXI 32-80/180	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
ES MAXI 32-100/180	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP

DN40

ES MAXI 40-80/220F	•		10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
ES MAXI 40-100/220F	•		10	DN40	220	TacoFlow MAXI 40-100/220F	DN40	220	WP
ES MAXI 40-120/250F	•		10	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
ES MAXI 40-180/250F	•		10	DN40	250	TacoFlow MAXI 40-180/250F	DN40	250	WP

DN50

ES MAXI 50-80/240F	•		10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
ES MAXI 50-100/280F	•		10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
ES MAXI 50-120/280F	•		10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
ES MAXI 50-180/280F	•		10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP

TACO DHW CIRCULATION PUMPS -> TACOFLOW DHW CIRCULATION PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
PUMP THREAD G ¾									
E-Pure EP C 10-40/130	•		10	G ¾	130	TacoFlow2 PURE C 10-40/130	G ¾	130	WP
ES2 PURE C 10-40/130	•		10	G ¾	130	TacoFlow2 PURE C 10-40/130	G ¾	130	WP
PUMP THREAD G1									
E-Pure EP C 15-40/130	•		10	G 1	130	TacoFlow2 PURE C 15-40/130	G 1	130	WP
ES2 PURE C 15-40/130	•		10	G 1	130	TacoFlow2 PURE C 15-40/130	G 1	130	WP

DAB SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
PUMP THREAD G 1										
EVOSTA 40-70/130 1/2"	•		10	G 1	130	TacoFlow 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
EVOSTA2 40-70/130 1/2"	•		10	G 1	130	TacoFlow 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
EVOSTA3 40/130 1/2"	•		10	G 1	130	TacoFlow 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
EVOSTA3 60/130 1/2"	•		10	G 1	130	TacoFlow 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
EVOSTA3 80/130 1/2"	•		10	G 1	130	TacoFlow 15-70/130	TacoFlow2 ADAPT 15-70/130	G 1	130	WP
EVOTRON 40/130 (1/2)	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
EVOTRON 60/130 (1/2)	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
EVOTRON 80/130 (1/2)	•		10	G 1	130	TacoFlow2 15-70/130	TacoFlow2 ADAPT 15-70/130	G 1	130	WP
VA 35/130 1/2"	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
VA 35/180 EVO	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
VA 55/130 1/2	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
VA 65/130 1/2"	•		10	G 1	130	TacoFlow2 15-70/130	TacoFlow2 ADAPT 15-70/130	G 1	130	WP
VSA 35/130 1/2"	•		10	G 1	130	TacoFlow2 SOLAR 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
VSA 55/130 1/2"	•		10	G 1	130	TacoFlow2 SOLAR 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
VSA 65/130 1/2	•		10	G 1	130	TacoFlow2 SOLAR 15-70/130	TacoFlow2 ADAPT 15-70/130	G 1	130	WP
PUMP THREAD G 1 - PUMP HOUSING WITH AIR SEPARATOR										
VA 50/130 - 1/2" A	•		10	G 1	130	TacoFlow2 C A 15-60/130		G 1	130	WP
VA 60/130 - 1/2" A	•		10	G 1	130	TacoFlow2 C A 15-60/130		G 1	130	WP
PUMP THREAD G 1½										
EVOSTA 40-70/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
EVOSTA 40-70/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
EVOSTA2 40-70/130 1"	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
EVOSTA2 40-70/180 1"	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
EVOSTA3 40/130 1"	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
EVOSTA3 40/180 1"	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
EVOSTA3 60/130 1"	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
EVOSTA3 60/180 1"	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
EVOSTA3 80/130 1"	•		10	G 1½	130	TacoFlow2 25-70/130	TacoFlow2 ADAPT 25-70/130	G 1½	130	WP
EVOSTA3 80/180 1"	•		10	G 1½	180	TacoFlow2 25-70/180	TacoFlow2 ADAPT 25-70/180	G 1½	180	WP
EVOTRON 40/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
EVOTRON 40/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
EVOTRON 60/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
EVOTRON 60/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
EVOTRON 80/130	•		10	G 1½	130	TacoFlow2 25-70/130	TacoFlow2 ADAPT 25-70/130	G 1½	130	WP
EVOTRON 80/180	•		10	G 1½	180	TacoFlow2 25-70/180	TacoFlow2 ADAPT 25-70/180	G 1½	180	WP
EVOPLUS 40/180 M	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
EVOPLUS 60/180 M	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
EVOPLUS 80/180 M	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
EVOPLUS 110/180 M	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
AC 65/180	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
AC 80/180	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
A 50/180 M	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
A 50/180 T		•	10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
A 56/180 M	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
A 56/180 T		•	10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
A 80/180 M	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
A 80/180 T		•	10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
A 110/180 XT		•	10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
VA 25/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
VA 25/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
VA 35/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
VA 35/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
VA 55/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
VA 55/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
VA 55/180 EVO	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
VA 65/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
VA 65/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
VA 65/180 EVO	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
VA 80/180	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
VEA 35/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
VEA 35/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
VEA 55/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
VEA 55/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP

DAB SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
VEA 65/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
VEA 65/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
VSA 35/130	•		10	G 1½	130	TacoFlow2 SOLAR 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
VSA 35/180	•		10	G 1½	180	TacoFlow2 SOLAR 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
VSA 55/130	•		10	G 1½	130	TacoFlow2 SOLAR 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
VSA 55/180	•		10	G 1½	180	TacoFlow2 SOLAR 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
VSA 65/130	•		10	G 1½	130	TacoFlow2 SOLAR 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
VSA 65/180	•		10	G 1½	180	TacoFlow2 SOLAR 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP

PUMP THREAD G 2

EVOSTA2 40-70/180X 1"1/4	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
EVOSTA3 40-70/180 X 1"1/4	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
EVOSTA3 60-70/180 X 1"1/4	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
EVOSTA3 80-70/180 X 1"1/4	•		10	G 2	180	TacoFlow2 32-70/180	TacoFlow2 ADAPT 32-70/180	G 2	180	WP
EVOTRON 40/180 X	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
EVOTRON 60/180 X	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
EVOTRON 80/180 X	•		10	G 2	180	TacoFlow2 32-70/180	TacoFlow2 ADAPT 32-70/180	G 2	180	WP
EVOPUS 40/180 XM	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
EVOPUS 60/180 XM	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
EVOPUS 80/180 XM	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
EVOPUS 110/180 XM	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
AC 65/180 X	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
AC 80/180 X	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
AC 110/180 X	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
A 50/180 XM	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
A 50/180 XT	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
A 56/180 XM	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
A 56/180 XT	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
A 80/180 XM	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
A 80/180 XT	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
A 110/180 XM	•		10	G 2	180	TacoFlow MAXI 40-120/250 F		DN40	250	PM, WP
VA 25/180X	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
VA 35/180X	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
VA 35/180 X EVO	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
VA 55/180X	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
VA 55/180 X EVO	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
VA 65/180 X EVO	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
VA 65/180 X	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
VEA 35/180 X	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
VEA 55/180 X	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
VEA 65/180 X	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
VEA 40/190 XM [Gewinde]	•		10	G 2	190	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
VEA 80/180 XM [Gewinde]	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
VSA 35/180 X	•		10	G 2	180	TacoFlow2 ADAPT 32-60/180		G 2	180	WP
VSA 55/180 X	•		10	G 2	180	TacoFlow2 ADAPT 32-60/180		G 2	180	WP
VSA 65/180 X	•		10	G 2	180	TacoFlow2 ADAPT 32-60/180		G 2	180	WP

DN40

EVOPUS B 40/250.40 M	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
EVOPUS B 60/250.40 M	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
EVOPUS B 80/250.40 M	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
EVOPUS B 110/250.40 M	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
BMH 30/250.40T	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
BPH 60/250.40M	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
BPH 60/250.40T	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
BPH 120/250.40M	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
BPH 120/250.40T	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
BPH-E 60/250.40 M	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
BPH-E 120/250.40 M	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
B 50/250.40 M	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
B 50/250.40 T	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
B 56/250.40 M	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
B 56/250.40 T	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
B 80/250.40 M	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
B 80/250.40 T	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
B 110/250.40 M	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
B 110/250.40 T	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP

DAB SINGLE PUMPS

Type	1~	3~	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
DN50									
EV0PLUS B 40/240.50 M	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
EV0PLUS B 60/240.50 M	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
EV0PLUS B 80/240.50 M	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
EV0PLUS B 100/240.50 M	•		6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
EV0PLUS B 120/240.50 M	•		6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
EV0PLUS B 150/240.50 M	•		6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP
EV0PLUS B 180/240.50 M	•		6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP
BMH 30/250.40T		•	6/10	DN50	250	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
BMH 60/280.50T		•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
BPH 60/280.50M		•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
BPH 60/280.50T		•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
BPH 120/280.50M		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
BPH 120/280.50T		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
BPH 150/280.50T		•	6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP
BPH 180/280.50T		•	6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP
BPH-E 60/280.50 M		•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
BPH-E 120/280.50 M		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
BPH-E 180/280.50 M		•	6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP

DAB DHW CIRCULATION PUMPS

Type	1~	3~	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
PUMP THREAD G ½									
EVOSTA 2 11/85R	•		10	G ½	85	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
PUMP THREAD G 1									
EVOSTA 2 11/139 V	•		10	G 1	139	TacoFlow2 PURE 20-09/110	G 1 ¼	110	PM, WP
PUMP THREAD G 1½									
EVOSTA 2 SAN 40-70/150	•		10	G 1½	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
EVOTRON 40/150 SAN	•		10	G 1½	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
VS 8/150	•		10	G 1½	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
VS 16/150	•		10	G 1½	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
VS 35/150	•		10	G 1½	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP

GRUNDFOS SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
PUMP THREAD G 1										
Alpha 15-40 130	•		10	G 1	130	TacoFlow 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Alpha 15-60 130	•		10	G 1	130	TacoFlow 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Alpha Pro 15-40 130	•		10	G 1	130	TacoFlow 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Alpha Pro 15-60 130	•		10	G 1	130	TacoFlow 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Alpha+ 15-40 130	•		10	G 1	130	TacoFlow 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Alpha+ 15-60 130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Alpha1 15-40 130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Alpha1 15-50 130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Alpha1 15-60 130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Alpha2 15-40 130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Alpha2 15-50 130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Alpha2 15-60 130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Alpha2 15-80 130	•		10	G 1	130	TacoFlow2 15-70/130	TacoFlow2 ADAPT 15-70/130	G 1	130	WP
Alpha2L 15-40 130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Alpha2L 15-50 130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Alpha2L 15-60 130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Alpha3 15-40 130	•		10	G 1	130	TacoFlow2 ADAPT 15-60/130	TacoFlow2 eLink 15-60/130	G 1	130	WP
Alpha3 15-60 130	•		10	G 1	130	TacoFlow2 ADAPT 15-60/130	TacoFlow2 eLink 15-60/130	G 1	130	WP
Alpha3 15-80 130	•		10	G 1	130	TacoFlow2 ADAPT 15-70/130	TacoFlow2 eLink 15-70/130	G 1	130	WP
Solar 15-45 180	•		10	G 1	180	TacoFlow2 SOLAR 15-60/180		G 1	180	WP
Solar 15-45 130	•		10	G 1	130	TacoFlow2 SOLAR 15-60/130		G 1	130	WP
Solar 15-60 130	•		10	G 1	130	TacoFlow2 SOLAR 15-60/130		G 1	130	WP
Solar 15-65 130	•		10	G 1	130	TacoFlow2 SOLAR 15-70/130		G 1	130	WP
Solar 15-65 180	•		10	G 1	130	TacoFlow2 SOLAR 15-70/130		G 1	130	WP
UPE 15-40-130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
UPE 15-60-130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
UPS 15-20-130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
UPS 15-30-130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
UPS 15-40-130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
UPS 15-45-130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
UPS 15-45x16	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
UPS 15-50-130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
UPS 15-60-130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
UPS2 15-40/50/60	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
PUMP THREAD G 1½										
Alpha1 20-40 130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
Alpha1 20-50 130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
Alpha1 20-60 130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UM 17-20	•	•	10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UMS 17-20	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UP 15-12 x 17	•	•	10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UP 17-35	•	•	10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UP 17-50	•	•	10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 15-20 x 17	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 15-35 x 17	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 15-45 x 17	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 17-35	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 17-45	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 17-60	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 20-20 XD	•		10	G 1½	180	TacoFlow2 25-80/130	TacoFlow2 ADAPT 25-60/180	G 1½	180	PM, WP
UPS 20-40 130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 20-40 XD	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	PM, WP
UPS 20-50 130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 20-60 130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 20-60 XD	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	PM, WP
PUMP THREAD G 1½										
Alpha 25-40	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Alpha 25-40 130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Alpha 25-60	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Alpha 25-60 130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Alpha Pro 25-40	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Alpha Pro 25-40 130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Alpha Pro 25-60	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP

GRUNDFOS SINGLE PUMPS

[illegible]

GRUNDFOS SINGLE PUMPS

Type	1~	3~	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note	
UM 20-13	•		10	G 1½	180	TacoFlow2	25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UM 20-15	•		10	G 1½	180	TacoFlow2	25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UM 20-20	•	•	10	G 1½	180	TacoFlow2	25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UM 20-25	•	•	10	G 1½	180	TacoFlow2	25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UM 25-20 TH		•	10	G 1½	180	TacoFlow2	25-60/180	TacoFlow3 MAX 25-60/180	G 1½	180	WP
UM 26-20	•		10	G 1½	180	TacoFlow2	25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UMS 18-20	•		10	G 1½	130	TacoFlow2	25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
UMS 19-20	•		10	G 1½	160	TacoFlow2	25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UMS 20-15	•		10	G 1½	180	TacoFlow2	25-60/180	TacoFlow3 MAX 25-60/180	G 1½	180	WP
UMS 20-20	•		10	G 1½	180	TacoFlow2	25-60/180	TacoFlow3 MAX 25-60/180	G 1½	180	WP
UMS 25-20	•		10	G 1½	180	TacoFlow2	25-60/180	TacoFlow3 MAX 25-60/180	G 1½	180	WP
UNIVERSEL 10	•		10	G 1½	130	TacoFlow2	25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
UP 15-12 x 20	•		10	G 1½	180	TacoFlow2	25-60/180	TacoFlow3 MAX 25-60/180	G 1½	180	WP
UP 18-35	•	•	10	G 1½	130	TacoFlow2	25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
UP 18-50	•	•	10	G 1½	130	TacoFlow2	25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
UP 18-60	•	•	10	G 1½	130	TacoFlow2	25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
UP 18-65	•		10	G 1½	130	TacoFlow2	25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
UP 19-35	•	•	10	G 1½	160	TacoFlow2	25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UP 19-50	•	•	10	G 1½	160	TacoFlow2	25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UP 19-65	•	•	10	G 1½	160	TacoFlow2	25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UP 20-20	•	•	10	G 1½	180	TacoFlow2	25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UP 20-35	•	•	10	G 1½	180	TacoFlow2	25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UP 20-50	•	•	10	G 1½	180	TacoFlow2	25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UP 25-25		•	10	G 1½	180	TacoFlow2	25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UP 25-55	•	•	10	G 1½	180	TacoFlow3	MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
UP 25-55 G	•	•	10	G 1½	180	TacoFlow3	MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
UP 25-55 TH		•	10	G 1½	180	TacoFlow3	MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
UP 25-80 180	•		10	G 1½	180	TacoFlow3	MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
UP 25-80 TH		•	10	G 1½	180	TacoFlow3	MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
UP 26	•		10	G 1½	180	TacoFlow2	25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UP 26-35	•		10	G 1½	180	TacoFlow2	25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UP 26-50 R	•		10	G 1½	180	TacoFlow2	25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UP 26-65	•	•	10	G 1½	180	TacoFlow2	25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UP 26-80 R		•	10	G 1½	180	TacoFlow3	MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
UPE 25-25	•		10	G 1½	180	TacoFlow2	25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½		

GRUNDFOS SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
UPS 20-60 K	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UPS 25-120	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
UPS 25-20	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UPS 25-20x18	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
UPS 25-25	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UPS 25-30	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UPS 25-40	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UPS 25-40 130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
UPS 25-40 160	•		10	G 1½	160	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 25-40 180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UPS 25-50 120	•		10	G 1½	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 25-50 130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
UPS 25-50 160	•		10	G 1½	160	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 25-50 180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UPS 25-55	•		10	G 1½	130	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	130	WP
UPS 25-55 G	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
UPS 25-60 120	•		10	G 1½	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 25-60 130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
UPS 25-60 180	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UPS 25-60 K	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UPS 25-60 T	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
UPS 25-80	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
UPS 26-50 R	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
UPS 26-80 R	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
UPS2 25-40/50/60	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
UPS2 25-80	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP

PUMP THREAD G 1½ - PUMP HOUSING WITH AIR SEPARATOR

Alpha Pro 25-40 A	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP, Model without air separator
Alpha Pro 25-60 A	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
Alpha+ 25-40 A	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
Alpha+ 25-60 A	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
ALPHA1 25-40 A	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
ALPHA1 25-60 A	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
ALPHA2 25-40 A	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
ALPHA2 25-60 A	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
UPE 25-40 A	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
UPE 25-60 A	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
UPS 22-35	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
UPS 22-45	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
UPS 22-60	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
UPS 23-35	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
UPS 23-45	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
UPS 23-60	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
UPS 25-20 A / V	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
UPS 25-30 A	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
UPS 25-40 A / V	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	
UPS 25-60 A / V	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	

PUMP THREAD G 2

Alpha1 32-40	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Alpha1 32-50	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Alpha1 32-60	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Alpha2 32-40	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Alpha2 32-50	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Alpha2 32-60	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Alpha2 32-80	•		10	G 2	180	TacoFlow2 32-70/180	TacoFlow2 ADAPT 32-70/180	G 2	180	WP
Alpha2L 32-40	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Alpha2L 32-50	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Alpha2L 32-60	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Alpha3 32-40	•		10	G 2	180	TacoFlow2 ADAPT 32-60/180	TacoFlow2 eLink 32-60/180	G 2	180	WP
Alpha3 32-60	•		10	G 2	180	TacoFlow2 ADAPT 32-60/180	TacoFlow2 eLink 32-60/180	G 2	180	WP
Alpha3 32-80	•		10	G 2	180	TacoFlow2 ADAPT 32-70/180	TacoFlow2 eLink 32-70/180	G 2	180	WP
GD 30	•	•	10	G 2	206	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
Magna 32-40	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
Magna 32-60	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
Magna 32-80	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP

GRUNDFOS SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
Magna 32-100	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
MAGNA1 32-40	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
MAGNA1 32-60	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
MAGNA1 32-80	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
MAGNA1 32-100	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
MAGNA3 32-40	•		10/16	G 2	180	TacoFlow3 MAX PRO 32-60/180		G 2	180	WP
MAGNA3 32-60	•		10/16	G 2	180	TacoFlow3 MAX PRO 32-60/180		G 2	180	WP
MAGNA3 32-80	•		10/16	G 2	180	TacoFlow3 MAX PRO 32-80/180		G 2	180	WP
MAGNA3 32-100	•		10/16	G 2	180	TacoFlow3 MAX PRO 32-100/180		G 2	180	WP
MAGNA3 32-120	•		10/16	G 2	180	TacoFlow MAXI 40-120/250 F		DN40	250	PM, WP
UM 32-20 180	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UM 32-20 200	•	•	10	G 2	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
UM 36-20	•	•	10	G 2	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
UM 36-20 R	•		10	G 2	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
UM 40-20	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UMS 32-20 180	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UMS 32-20 200	•	•	10	G 2	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
UMS 36-20 R	•		10	G 2	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
UMS 40-20	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UP 32-25 180		•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UP 32-50			10	G 2	200	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UP 32-50 G		•	10	G 2	200	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UP 32-55			10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
UP 32-55 G		•	10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
UP 32-80 180		•	10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
UP 35	•	•	10	G 2	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
UP 40-37	•	•	10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
UP 40-75	•	•	10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
UP 40-75 R	•	•	10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
UP 40-80	•	•	10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
UP 40-80 R	•	•	10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
UP 42-42	•	•	10	G 2	200	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
UP 42-42 R	•	•	10	G 2	200	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
UP 42-50	•	•	10	G 2	200	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UP 42-50 R	•	•	10	G 2	200	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UP 45 R	•	•	10	G 2	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
UPE 32-25	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UPE 32-40	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UPE 32-45	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UPE 32-60	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UPE 32-80	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
UPS 15-20 x 40	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UPS 15-35 x 40	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UPS 15-45 x 40	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UPS 32-20	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UPS 32-25	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UPS 32-30	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UPS 32-40	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UPS 32-50	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UPS 32-50 G	•		10	G 2	200	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UPS 32-55	•	•	10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
UPS 32-55 G	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
UPS 32-60	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
UPS 32-80	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
UPS 32-80 K	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
UPS 40-35	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UPS 40-45	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UPS 40-62	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
UPS 40-80	•	•	10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
UPS 40-80 R	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
UPS 42-50	•	•	10	G 2	200	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UPS2 32-80	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP

GRUNDFOS SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
DN25										
CC 1-120	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
CC 1-120/35	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
CC 2-120	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
CC 3-120	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
CC 4-120	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
CC 5-120	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
CC 6-120	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UM 21-15 (V)	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UM 21-20 (V)	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UM 31-20 (V)	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UMS 21-20	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UMS 21-20 (V)	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UMS 21-35 (V)	•	•	10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UMS 21-50	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UMS 21-50 (V)	•	•	10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UP 31-20 (V)	•	•	10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UP 31-35 (V)	•	•	10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UP 31-50 (V)	•	•	10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UP 31-65	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UP 31-65 (V)	•	•	10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 15-20 x 21	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 15-35 x 21	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 15-45 x 21	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 21-35	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 21-40	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 21-40 F	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 21-45	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 21-50 F	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 21-60	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 21-60 F	•		10	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
DN32										
Magna 32-80 F	•	•	6/10	DN32	220	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
Magna 32-100 F	•		6/10	DN32	220	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	PM, WP
Magna 32-120 F	•		6/10	DN32	220	TacoFlow MAXI 40-120/250 F		DN40	250	PM, WP
MAGNA1 32-40 F	•		6/10	DN32	220	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
MAGNA1 32-60 F	•		6/10	DN32	220	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
MAGNA1 32-80 F	•		6/10	DN32	220	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
MAGNA1 32-100 F	•		6/10	DN32	220	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	PM, WP
MAGNA1 32-120 F	•		6/10	DN32	220	TacoFlow MAXI 40-120/250 F		DN40	250	PM, WP
MAGNA3 32-40 F	•		6/10	DN32	220	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
MAGNA3 32-60 F	•		6/10	DN32	220	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
MAGNA3 32-80 F	•		6/10	DN32	220	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
MAGNA3 32-100 F	•		6/10	DN32	220	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	PM, WP
MAGNA3 32-120 F	•		6/10	DN32	220	TacoFlow MAXI 40-120/250 F		DN40	250	PM, WP
UMC 32-30	•	•	6/10	DN32	220	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UMK 32-30	•	•	6/10	DN32	220	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UMS 36-20 F	•	•	10	DN32	200	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UP 21-65	•		10	DN32	120	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
UP 32-0	•	•	10	DN32	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
UP 32-1	•	•	10	DN32	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
UP 32-2	•	•	5	DN32	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
UP 32-3	•	•	10	DN32	200	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UP 35	•	•	10	DN32	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
UP 36-50 F	•	•	-	DN32	200	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UP 45	•	•	10	DN32	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
UPC 32-60	•	•	6/10	DN32	220	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	PM, WP
UPC 32-120	•	•	6/10	DN32	220	TacoFlow MAXI 40-120/250 F		DN40	250	PM, WP
UPE 32-80 F	•		6/10	DN32	220	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
UPE 32-120 (F)	•		6/10	DN32	220	TacoFlow MAXI 40-120/250 F		DN40	250	PM, WP
UPK 32-60	•		10	DN32	120	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	PM, WP
UPK 32-120	•		10	DN32	120	TacoFlow MAXI 40-120/250 F		DN40	250	PM, WP
UPS 15-35 x 21	•		10	DN32	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
UPS 32-30 F	•	•	6/10	DN32	220	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UPS 32-35	•	•	6/10	DN32	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP

GRUNDFOS SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
UPS 32-60 F	•	•	6/10	DN32	220	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UPS 32-80 F	•	•	6/10	DN32	220	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
UPS 32-120 F	•		6/10	DN32	220	TacoFlow MAXI 40-120/250 F		DN40	250	PM, WP
UPS 36-20 F	•	•	6/10	DN32	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
UPS 36-50 F	•	•	6/10	DN32	200	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UPS 36-80 F	•	•	6/10	DN32	200	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
VP 32	-	-	-	DN32	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
VP 32-1	-	-	-	DN32	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
VP 32-2	-	-	-	DN32	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
VP 32-3	-	-	-	DN32	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
VP 35	-	-	-	DN32	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
VP 36-50 F	-	-	-	DN32	200	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
VP 45	-	-	-	DN32	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP

DN40

GD 40	•	•	6/10	DN40	220	TacoFlow MAXI 40-80/220F		DN40	220	WP
Magna 40-60 F	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F		DN40	220	WP
Magna 40-80 F	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F		DN40	220	WP
Magna 40-100 F	•		6/10	DN40	220	TacoFlow MAXI 40-100/220F		DN40	220	WP
Magna 40-120 F	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
MAGNA1 40-60 F	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F		DN40	220	WP
MAGNA1 40-80 F	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F		DN40	220	WP
MAGNA1 40-100 F	•		6/10	DN40	220	TacoFlow MAXI 40-120/250F		DN40	250	WP
MAGNA1 40-120 F	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
MAGNA1 40-150 F	•		6/10	DN40	250	TacoFlow MAXI 40-180/220F		DN40	250	WP
MAGNA1 40-180 F	•		6/10	DN40	250	TacoFlow MAXI 40-180/220F		DN40	250	WP
MAGNA3 40-60 F	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F		DN40	220	WP
MAGNA3 40-80 F	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F		DN40	220	WP
MAGNA3 40-100 F	•		6/10	DN40	220	TacoFlow MAXI 40-100/220F		DN40	220	WP
MAGNA3 40-120 F	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
MAGNA3 40-150 F	•		6/10	DN40	250	TacoFlow MAXI 40-180/250F		DN40	250	WP
MAGNA3 40-180 F	•		6/10	DN40	250	TacoFlow MAXI 40-180/250F		DN40	250	WP
Magna UPE 40-120 F	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
Magna UPE 40-120 FB	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
UM 40-12 F	•	•	10	DN32	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
UM 40-18 F	•	•	10	DN32	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
UMC 40-30	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UMC 40-60	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UMK 40-30	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UMK 40-60	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UMS 40-30	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UP 40-37 F	•	•	10	DN32	200	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UP 40-50 F		•	6/10	DN32	200	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	PM, WP
UP 40-50 FB		•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UP 40-75 F	•	•	10	DN32	200	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
UP 40-80 F		•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UP 40-80 FB		•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UP 42-42 (F)	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UP 42-42 (F) B (Z)	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UP 42-50 F	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UP 42-70	•	•	6	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UP 42-80		•	6	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UP 42-80 FB		•	6	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UPC 40-120	•	•	6/10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
UPC 40-60	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UPE 40-120 (F)	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
UPE 40-80 (F)	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UPK 40-120	•	•	6/10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
UPK 40-180	•	•	6/10	DN40	250	TacoFlow MAXI 40-180/250F		DN40	250	WP
UPK 40-60	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UPS 40-30 F	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UPS 40-50 F	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UPS 40-60	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UPS 40-60/2F	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UPS 40-60/4F	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
UPS 40-80 F	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP

GRUNDFOS SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
UPS 42-50 F	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
UPS 42-80 F	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
UPS 40-120	•	•	6/10	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
UPS 40-120 (F)	•	•	6/10	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
UPS 40-120 FB	•	•	6/10	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
UPS 40-180 F	•	•	6/10	DN40	250	TacoFlow MAXI 40-180/250F	DN40	250	WP
UPS 40-185 F	•	•	6/10	DN40	250	TacoFlow MAXI 40-180/250F	DN40	250	WP

DN50

GD50	•	•	6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
Magna 50-60 F	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
Magna 50-100 F	•		6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
Magna 50-120 F	•		6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
MAGNA1 50-40 F	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
MAGNA1 50-60 F	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
MAGNA1 50-80 F	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
MAGNA1 50-100 F	•		6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
MAGNA1 50-120 F	•		6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
MAGNA1 50-150 F	•		6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	240	WP
MAGNA1 50-180 F	•		6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	240	WP
MAGNA3 50-40 F	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
MAGNA3 50-60 F	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
MAGNA3 50-80 F	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
MAGNA3 50-100 F	•		6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
MAGNA3 50-120 F	•		6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
MAGNA3 50-150 F	•		6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	240	WP
MAGNA3 50-180 F	•		6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	240	WP
Magna UPE 50-120 F	•		6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
Magna UPE 50-120 FN	•		6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
Magna UPE 50-60 F	•		6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
Magna UPE 50-60 FB	•		6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UMC 40-30 XD	-	-	-	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
UMC 50-30	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UMC 50-60	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UMK 50-30	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UMK 50-60	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UMS 50-30	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UMS 50-60	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UP 50-60	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UPC 50-60	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UPC 50-120	•	•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
UPC 50-180		•	6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP
UPE 50-60 (F)	•		6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UPE 50-60 FB	•		6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UPE 50-80 (F)	•		6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UPE 50-120 (F)		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
UPE 50-120 FB		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
UPK 50-60	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UPK 50-120	•	•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
UPK 50-180	•	•	6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP
UPS 50-30 F	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UPS 50-60		•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UPS 50-60/2F	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UPS 50-60/4F	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
UPS 50-120	•	•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
UPS 50-120 (F)	•	•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
UPS 50-180 F	•	•	6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP
UPS 50-185 F	•	•	6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP

GRUNDFOS DHW CIRCULATION PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
RP ½									
UP 15-13 B	•		10	Rp ½	86	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
UP 15-13 B Comfort	•		10	Rp ½	80	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
UP 15-13 BT Comfort	•		10	Rp ½	80	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
UP 15-13 BU	•		10	Rp ½	86	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
UP 15-13 BU Comfort	•		10	Rp ½	80	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
UP 15-13 BUT Comfort	•		10	Rp ½	80	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
UP 15-13 BX	•		10	Rp ½	130	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
UP 15-13 BXU	•		10	Rp ½	130	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
UP COMFORT 15-14 B	•		10	Rp ½	80	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
UP COMFORT 15-14 BUT	•		10	Rp ½	80	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
UP COMFORT PM 15-14 BX	•		10	Rp ½	80	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
UP COMFORT PM autoadapt 15-14 BA _w	•		10	Rp ½	80	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP

PUMP THREAD G 1¼

Super 4/12 DW	-	-	-	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Super 4/30 DW	-	-	-	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
UM 20-07 N	•		10	G 1¼	150	TacoFlow2 PURE 20-09/110	G 1¼	110	PM, WP
UM 24-08 N	•		10	G 1¼	150	TacoFlow2 PURE 20-09/110	G 1¼	110	PM, WP
UM 25-08 N	•		10	G 1¼	150	TacoFlow2 PURE 20-09/110	G 1¼	110	PM, WP
UM 25-12 N	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
UP 15-15 N	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
UP 15-25 N	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
UP 20-07 N	•		10	G 1¼	150	TacoFlow2 PURE 20-09/110	G 1¼	110	PM, WP
UP 20-07 NX	•		10	G 1¼	150	TacoFlow2 PURE 20-09/110	G 1¼	110	PM, WP
UP 20-07 NXU	•		10	G 1¼	286	TacoFlow2 PURE 20-09/110	G 1¼	110	PM, WP
UP 20-15 N	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
UP 20-15 NX	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
UP 20-15 NXU	•		10	G 1¼	286	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
UP 20-30 N	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
UP 25-30 N	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
UP COMFORT 20-14 BX	•		10	G 1¼	110	TacoFlow2 PURE 20-09/110	G 1¼	110	PM, WP
UP COMFORT 20-14 BXUT	•		10	G 1¼	110	TacoFlow2 PURE 20-09/110	G 1¼	110	PM, WP
UP COMFORT PM 20-14 BX	•		10	G 1¼	110	TacoFlow2 PURE 20-09/110	G 1¼	110	PM, WP
"UP COMFORT PM autoadapt 20-14 BXA"	•		10	G 1¼	110	TacoFlow2 PURE 20-09/110	G 1¼	110	PM, WP

PUMP THREAD G 1½

Alpha Pro 25-40 B	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Alpha1 25-40 N	•		10	G 1½	130	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Alpha1 25-40 N	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Alpha2 25-40 N	•		10	G 1½	130	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Alpha2 25-40 N	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Alpha3 25-40 N	•		10	G 1½	130	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Alpha3 25-40 N	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	180	PM, WP
UM 26-20 Z	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
UP 26-35 Z	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
UPE 25-40 B	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
UPS 25-40	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP

KSB SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
PUMP THREAD G 1										
Calio S 15-40-130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Calio S 15-60-130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Rio C 02-40	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Rio C 02-60	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Rio C 15-15 130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Rio C 15-40 130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Rio C 15-60 130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Rio-Eco N 15-40 130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	-
Rio-Eco N 15-60 130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	-
PUMP THREAD G 1½										
Rio C 12-40	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
Rio C 12-60	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
PUMP THREAD G 1½										
Calio S 25-40-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Calio S 25-40	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Calio S 25-60-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Calio S 25-60	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Calio 25-60	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	-
Calio 25-80	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	-
Calio 25-100	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	-
G 2 R	•		10	G 1½	190	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	PM, WP
G 25 (180 mm)	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
G 25 (190 mm)	•		10	G 1½	190	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	PM, WP
G 27 (180 mm)	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
G 27 (190 mm)	•		10	G 1½	190	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	PM, WP
G 29 (180 mm)	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
G 29 (190 mm)	•		10	G 1½	190	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	PM, WP
HP 02	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
HP 02 S	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
HP 04	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Rio 25-100 E/D	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Rio 25-50 E/D	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Rio 25-70 E/D	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Rio C 22-25	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Rio C 22-40	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Rio C 22-40 130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Rio C 22-50	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Rio C 22-60	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Rio C 25-15	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Rio C 25-25	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Rio C 25-40 130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Rio C 25-40	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Rio C 25-40 (60Hz)	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	Suitable for 60 Hz, WP
Rio C 25-50 130	•		10	G 1½	130	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Rio C 25-50	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Rio C 25-60 130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Rio C 25-60	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Rio C 25-60 (60Hz)	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	Suitable for 60 Hz, WP
Rio C 25-70	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
Rio-Eco 25-40	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
Rio-Eco 25-60	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
Rio-Eco 25-80	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
Rio-Eco 25-100	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
Rio-Eco N 25-40-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	-
Rio-Eco N 25-40	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	-
Rio-Eco N 25-60-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	-
Rio-Eco N 25-60	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	-
Rio-Eco N 25-100	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
Riomatic A 2 R (180 mm)	•	•	10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
Riomatic A 2 R (190 mm)	•		10	G 1½	190	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
Riomatic A 2 V (180 mm)	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
Riomatic B 2 R	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP

KSB SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
Riomatic B 2 V	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riomatic C 2 R	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riomatic C 2 V	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riomatic C 22/20	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riomatic C 22/35	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riotec 25-70	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
Riotron 25-50	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riotronic 25-40	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riotronic 25-60	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riotronic 25-60	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riotronic 25-60 SSM	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
Riotronic S 25-40	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riotronic S 25-60	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riotronic-Eco 25-40	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riotronic-Eco 25-60	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riovar 22-20 130 E	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Riovar 22-20 160 E	•		10	G 1½	160	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riovar 22-20 E	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riovar 22-25 E	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riovar 22-30 130 E	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Riovar 22-30 E	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riovar 22-35 E	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riovar 22-40 130 E	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Riovar 22-40 160 E	•		10	G 1½	160	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	PM, WP
Riovar 22-40 E	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riovar 22-50 130 E	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Riovar 22-50 E	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riovar 22-60 E/D	•	•	10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
Riovar 22-70 E/D	•	•	10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
Riovar 24-2 E/D		•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riovar 24-8 E/D		•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Riovar 25-7 E		•	10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP

PUMP THREAD G 2

Calio S 30-40	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Calio S 30-60	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Calio 30-60	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	-
Calio 30-80	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	-
Calio 30-100	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	-
B 2 R	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
BP 02	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
BP 04	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
C 2 R	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
D 30 D		•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
F 3 R	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
F 3 V	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
F 35	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
F 37	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
F 39	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
G 2 R	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
G 25 (180 mm)	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
G 25 (190 mm)	•		10	G 2	190	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
G 27 (180 mm)	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
G 27 (190 mm)	•		10	G 2	190	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
G 29 (180 mm)	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
G 29 (190 mm)	•		10	G 2	190	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Rio 30-40 E/D	•	•	10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
Rio 30-50 E/D	•	•	10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
Rio 30-70 E/D	•	•	10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
Rio 30-100 E/D	•	•	10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
Rio C 30-25	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Rio C 30-40	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Rio C 30-50	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Rio C 30-60	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Rio C 30-70	•		10	G 2	180	TacoFlow2 32-70/180	TacoFlow2 ADAPT 32-70/180	G 2	180	WP
Rio C 32-25			10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP

KSB SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
Rio C 32-40	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Rio C 32-50	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Rio C 32-60	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Rio-Eco 30-40	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
Rio-Eco 30-60	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
Rio-Eco 30-80	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
Rio-Eco 30-100	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
Rio-Eco 30-120	•		10	G 2	180	TacoFlow MAXI 40-120/250		DN40	250	PM, WP
Rio-Eco N 30-40	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Rio-Eco N 30-60	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Rio-Eco N 30-100	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
Rio-Eco N 30-120	•		10	G 2	180	TacoFlow MAXI 40-120/250		DN40	250	PM, WP
Riomatic A3 V	•	•	10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
Riomatic B3 V	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riomatic C3 V	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riomatic C 32-20	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riomatic C 32-35	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riotec 30-70	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
Riotec 30-100	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
Riotron 30-50	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riotronic S 30-40	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riotronic S 30-60	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riotronic S 30-60 SSM	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
Riotronic-Eco 30-40	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riotronic-Eco 30-60	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riotronic-Eco 30-60 BMS	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riovar 30 D		•	6/10	G 2	206	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
Riovar 30-10 E	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
Riovar 30-50 E	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riovar 30-7 E	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
Riovar 31-40 E	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riovar 32-10 E	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riovar 32-12 E/D	•	•	10	G 2	180	TacoFlow MAXI 40-120/250		DN40	250	PM, WP
Riovar 32-15 E/D	•	•	10	G 2	180	TacoFlow MAXI 40-120/250		DN40	250	PM, WP
Riovar 32-17 E/D	•	•	10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
Riovar 32-20 E	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riovar 32-25 E	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riovar 32-30 E	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riovar 32-35 E	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riovar 32-40 E	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riovar 32-50 E	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riovar 32-60 E	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riovar 32-60 E/D	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riovar 32-70 E/D	•	•	10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
Riovar 34-2 E/D	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Riovar 34-8 E/D	•	•	10	G 2	200	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP

DN32

Calio 32-120	•		6/10	DN32	220	TacoFlow MAXI 40-120/250		DN40	250	PM, WP
Rio-Eco 32-120	•		6/10	DN32	220	TacoFlow MAXI 40-120/250		DN40	250	PM, WP

DN40

Calio 40-60	•	•	6/10	DN40	220	TacoFlow MAXI 40-80/220F		DN40	220	WP
Calio 40-70	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F		DN40	220	WP
Calio 40-80	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F		DN40	220	-
Calio 40-90	•		6/10	DN40	220	TacoFlow MAXI 40-100/220F		DN40	220	WP
Calio 40-100	•		6/10	DN40	220	TacoFlow MAXI 40-100/220F		DN40	220	-
Calio 40-120	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	-
Calio 40-180	•		6/10	DN40	250	TacoFlow MAXI 40-180/220F		DN40	250	-
D 40 D	•	•	6/10	DN40	220	TacoFlow MAXI 40-100/220F		DN40	220	WP
G 42-17	•	•	6/10	DN40	250	TacoFlow MAXI 40-100/220F		DN40	220	WP
G 47 (250 mm)	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
G 47 (258 mm)	•	•	6/10	DN40	258	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
G 49 (250 mm)	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
G 49 (258 mm)	•	•	6/10	DN40	258	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP
HP 12	•		6/10	DN40	190	TacoFlow MAXI 40-80/220F		DN40	220	PM, WP

KSB SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
HP 12 S	•		6/10	DN40	190	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
HP 14	•		6/10	DN40	190	TacoFlow2 32-60/180 TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
K 48	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
K 49	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
L 4	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
M 4	•	•	6/10	DN40	250	TacoFlow MAXI 40-100/220F	DN40	220	PM, WP
Rio 40-100 D		•	6/10	DN40	250	TacoFlow MAXI 40-100/220F	DN40	220	PM, WP
Rio 40-150 D		•	6/10	DN40	250	TacoFlow MAXI 40-100/220F	DN40	220	PM, WP
Rio 40-40 E/D	•	•	6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
Rio 40-70 E/D	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
Rio-Eco 40-80	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
Rio-Eco 40-100	•		6/10	DN40	220	TacoFlow MAXI 40-100/220F	DN40	220	WP
Rio-Eco 40-120	•		6/10	DN40	250	TacoFlow MAXI 40-100/220F	DN40	220	PM, WP
Rio-Eco N 40-120	•		6/10	DN40	250	TacoFlow MAXI 40-100/220F	DN40	220	PM, WP
Rio-Eco N 40-140	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	-
Riomatic A4 V	•	•	6/10	DN40	250	TacoFlow MAXI 40-100/220F	DN40	220	PM, WP
Riomatic C4 V	•		6/10	DN40	250	TacoFlow MAXI 40-100/220F	DN40	220	PM, WP
Riotec 40-40	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
Riotec 40-100	•		6/10	DN40	250	TacoFlow MAXI 40-100/220F	DN40	220	PM, WP
Riotron 40/1-5 E	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
Riovar 40 D		•	6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
Riovar 42-12 E/D	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
Riovar 42-17 E/D	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
Riovar 42-25 E/D	•	•	6/10	DN40	250	TacoFlow MAXI 40-100/220F	DN40	220	PM, WP
Riovar 42-6 E/D	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	250	PM, WP
Riovar 42-7 E/D	•	•	6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
Riovar 44-18 D		•	6/10	DN40	320	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
Riovar 44-30 D		•	6/10	DN40	320	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
Riovar 44-8 E/D	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	250	PM, WP

DN50

Calio 50-40	•	•	6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
Calio 50-60	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
Calio 50-80	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	-
Calio 50-90	•		6/10	DN50	240	TacoFlow MAXI 50-100/280F	DN50	280	WP
Calio 50-100	•		6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	-
Calio 50-120	•		6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	-
Calio 50-150	•		6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP
Calio 50-180	•		6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	-
BP 12	-	-	6/10	DN50	190	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
BP 14	-	-	6/10	DN50	190	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
D 50 D	•	•	6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
HP 22	•		6/10	DN50	250	TacoFlow MAXI 50-100/280F	DN50	280	WP
HP 24	•		6/10	DN50	250	TacoFlow MAXI 50-100/280F	DN50	280	WP
HP 44	•		6/10	DN50	300	TacoFlow MAXI 50-80/240F	DN50	240	WP
HP 46	•		6/10	DN50	300	TacoFlow MAXI 50-80/240F	DN50	240	WP
K 56 (280 mm)	•	•	6	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
K 56 (292 mm)	•	•	6	DN50	292	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
K 57 (280 mm)	•	•	6	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
K 57 (292 mm)	•	•	6	DN50	292	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
K 58 (280 mm)	•	•	6	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
K 58 (292 mm)	•	•	6	DN50	292	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
K 59 (280 mm)	•	•	6	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
K 59 (292 mm)	•	•	6	DN50	292	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
L 5	•	•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
L 51	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
L 58 (280 mm)	•	•	6	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
L 58 (292 mm)	•	•	6	DN50	292	TacoFlow MAXI 50-100/280F	DN50	280	PM, WP
L 59 (280 mm)	•	•	6	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
L 59 (292 mm)	•	•	6	DN50	292	TacoFlow MAXI 50-100/280F	DN50	280	PM, WP
M 5		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
Rio 50-40 E/D	•	•	6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
Rio 50-70 D		•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
Rio 50-100 D		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
Rio 50-150 D		•	6/10	DN50	340	TacoFlow MAXI 50-120/280F	DN50	280	WP
Rio-Eco 50-80	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP

KSB SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
Rio-Eco 50-90	•		6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
Rio-Eco 50-100	•		6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
Rio-Eco 50-120	•		6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
Rio-Eco N 50-70	•		6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
Rio-Eco N 50-90	•		6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
Rio-Eco N 50-140	•		6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
Riotec 50-60	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
Riotec 50-70	•		6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
Riotec 50-100	•		6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
Riotron 50/1-7 E	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
Riovar 50 D	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
Riovar 52-12 E/D	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
Riovar 52-15 E/D	•	•	6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
Riovar 52-17 E/D	•	•	6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
Riovar 52-25 E/D	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
Riovar 52-32 E/D		•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
Riovar 52-40 D		•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
Riovar 52-45 D		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
Riovar 52-85 D		•	6/10	DN50	340	TacoFlow MAXI 50-120/280F	DN50	280	WP
Riovar 54-100 D		•	6/10	DN50	340	TacoFlow MAXI 50-120/280F	DN50	280	WP
Riovar 54-150 D		•	6/10	DN50	440	TacoFlow MAXI 50-120/280F	DN50	280	WP
Riovar 54-18 D		•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
Riovar 54-30 D		•	6/10	DN50	340	TacoFlow MAXI 50-80/240F	DN50	240	WP
Riovar 54-48 D		•	6/10	DN50	340	TacoFlow MAXI 50-80/240F	DN50	240	WP

KSB DHW CIRCULATION PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
RP ½									
Calio-Therm S NC S	•		10	Rp ½	65	TacoFlow2 PURE 15-10/65	Rp ½	65	-
Calio-Therm S NC K	•		10	Rp ½	65	TacoFlow2 PURE 15-10/65	Rp ½	65	WP

PUMP THREAD G 1¼

Calio-Therm S NCV S	•		10	G 1¼	110	TacoFlow2 PURE 20-10/110	G 1¼	110	-
Calio-Therm S NCV K	•		10	G 1¼	110	TacoFlow2 PURE 20-10/110	G 1¼	110	WP
CPG 12 R	•		10	G 1¼	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
CPG 14 R	•		10	G 1¼	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 12/15	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 12/15 T	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 12/30	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 12/30 T	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 20-15	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 20-30	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP

PUMP THREAD G 1½

Calio-Therm S 25-40	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 22/40	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 22/40 T	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 22/55	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 22/55 T	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 25-40	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm R 22-2 E	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm R 22-5	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm R 24-3	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	R, WP
Riotronic EC0 25-40	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP

LOWARA SINGLE PUMPS

Type	1~	3~	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
PUMP THREAD G 1										
ecocirc BASIC 15-4/130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
ecocirc BASIC 15-6/130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
ecocirc PREMIUM 15-4/130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
ecocirc PREMIUM 15-6/130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
EA 15-4/130	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
EA 15-6/130	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
EV 15-4/130	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
EV 15-6/130	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
TCB 15-1	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
TCB 15-2	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
TCB 15-3	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
TCR 15-4	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
TCR 15-5	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
TCR 15-6	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
TLC 15-2.5	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
TLC 15-4	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
TLC 15-5	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
TLC 15-6	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
TLC 15-7	-	-	-	G 1	130	TacoFlow2 15-70/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
TLCSOL 15-4	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-70/130	G 1	130	WP
TLCSOL 15-6	-	-	-	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
PUMP THREAD G 1½										
ecocirc BASIC 20-4/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
ecocirc BASIC 20-6/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
ecocirc PREMIUM 20-4/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
ecocirc PREMIUM 20-6/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
EA 20-4/130	-	-	-	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
EA 20-6/130	-	-	-	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
EV 20-4/130	-	-	-	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
EV 20-6/130	-	-	-	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
TCB 20-5	-	-	-	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
PUMP THREAD G 1½										
ecocirc BASIC 25-4/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
ecocirc BASIC 25-4/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
ecocirc BASIC 25-6/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
ecocirc BASIC 25-6/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
ecocirc PREMIUM 25-4/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
ecocirc PREMIUM 25-4/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
ecocirc PREMIUM 25-6/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
ecocirc PREMIUM 25-6/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
ecocirc XL 25-40	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
ecocirc XL 25-60	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
ecocirc XL 25-80	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
ecocirc XL 25-100	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
ATC 25-40	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
ATC 25-60	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
ATCR 3	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
ATCR 5	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
EA 25-4/130	-	-	-	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
EA 25-4/180	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
EA 25-6/130	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
EA 25-6/180	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
ETCR 25-4L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
EV 25-4/130	-	-	-	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
EV 25-4/180	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
EV 25-6/130	-	-	-	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
EV 25-6/180	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
TCB 25-6L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
TCBG 25-6L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
TCR 25-2L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
TCR 25-4	-	-	-	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
TCR 25-4L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
TCR 25-5	-	-	-	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP

LOWARA SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
TCR 25-5L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
TCR 25-6	-	-	-	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
TCR 25-6L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
TLC 25-2.5L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
TLC 25-4	-	-	-	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
TLC 25-4L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
TLC 25-5	-	-	-	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
TLC 25-5L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
TLC 25-6	-	-	-	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
TLC 25-6L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
TLC 25-7L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
TLCK 25-4 L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
TLCK 25-6 L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
TLCSOL 25-4 L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
TLCSOL 25-6 L	-	-	-	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP

PUMP THREAD G 2

ecocirc BASIC 32-4/180	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
ecocirc BASIC 32-6/180	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
ecocirc PREMIUM 32-4/180	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
ecocirc PREMIUM 32-6/180	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
ecocirc XL 32-40	•		6/10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
ecocirc XL 32-60	•		6/10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
ecocirc XL 32-80	•		6/10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
ecocirc XL 32-100	•		6/10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
AFC 32-70	•		6/10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
AFCG 32-60	•		6/10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
AFCG 32-70	•		6/10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
AFLC 30-120	-	-	-	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
AFLC 30-120 modbus	-	-	-	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
ATC 32-40	•		6/10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
ATC 32-60	•		6/10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
ATC 32-90	•		6/10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
EA 32-4/180	-	-	-	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
EA 32-6/180	-	-	-	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
ETC 32-11	-	-	-	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
ETCR 32-5L	-	-	-	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
EV 32-4/180	-	-	-	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
EV 32-6/180	-	-	-	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
TC 32-4	-	-	-	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
TC 32-5	-	-	-	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
TC 32-8	-	-	-	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
TC 32-10	•		-	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
TC 32-10T		•	-	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
TCG 32-4	-	-	-	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
TCG 32-5	-	-	-	G 2	180	TacoFlow2 32-70/180	TacoFlow2 ADAPT 32-70/180	G 2	180	WP
TCG 32-8	-	-	-	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
TCR 32-4L	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
TCR 32-5L	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
TCR 32-6L	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
TLC 32-2.5L	-	-	-	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
TLC 32-4 L	-	-	-	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
TLC 32-5 L	-	-	-	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
TLC 32-6 L	-	-	-	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
TLC 32-7 L	-	-	-	G 2	180	TacoFlow2 32-70/180	TacoFlow2 ADAPT 32-70/180	G 2	180	WP

DN32

ecocirc XL 32-80 F	•		6/10	DN32	220	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
ecocirc XL 32-100 F	•		6/10	DN32	220	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
ecocirc XL 32-120 F	•		6/10	DN32	220	TacoFlow MAXI 40-120/250F		DN40	250	PM, WP
AFLC 32-120	-	-	-	DN32	220	TacoFlow MAXI 40-120/250F		DN40	250	PM, WP
AFLC 32-120 modbus	-	-	-	DN32	220	TacoFlow MAXI 40-120/250F		DN40	250	PM, WP
AFLCG 32-120	-	-	-	DN32	220	TacoFlow MAXI 40-120/250F		DN40	250	PM, WP
AFLCG 32-120 modbus	-	-	-	DN32	220	TacoFlow MAXI 40-120/250F		DN40	250	PM, WP

LOWARA SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
DN40									
ecocirc XL 40-80 F	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
ecocirc XL 40-100 F	•		6/10	DN40	220	TacoFlow MAXI 40-100/220F	DN40	220	PM, WP
ecocirc XL 40-120 F	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
AFC 40-30	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
AFC 40-60	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
AFC 40-80	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
AFCG 40-60	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
AFCG 40-80	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
AFLC 40-120	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
AFLC 40-120 modbus	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
AFLCG 40-120	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
AFLCG 40-120 modbus	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
EFC 40-10	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
EFCG 40-10	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
EFLC 40-11	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
EFLC 40-9	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
EFLCG 40-11	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
EFLCG 40-9	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
FC 40-10	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
FC 40-10T	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
FC 40-7	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	250	PM, WP
FC 40-7T	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	250	PM, WP
FCG 40-10	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
FCG 40-10T	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
FCG 40-4	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
FCG 40-7	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
FCG 40-7T	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
FLC 40-10	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
FLC 40-10T	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
FLC 40-5	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
FLC 40-5T	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
FLC 40-7	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
FLC 40-7T	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
FLCG 40-10	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
FLCG 40-10T	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
FLCG 40-5	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
FLCG 40-5T	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
FLCG 40-7	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
FLCG 40-7T	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
DN50									
ecocirc XL 50-80 F	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
ecocirc XL 50-100 F	•		6/10	DN50	240	TacoFlow MAXI 50-100/280F	DN50	280	PM, WP
ecocirc XL 50-120 F	•		6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
AFC 50-60	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
AFC 50-70	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
AFC 50-80	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
AFCG 50-60	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
AFCG 50-70	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
AFCG 50-80	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
AFLC 50-140	-	-	-	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP
AFLC 50-140 modbus	-	-	-	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP
AFLC 50-90	-	-	-	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
AFLC 50-90 modbus	-	-	-	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
AFLCG 50-140	-	-	-	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP
AFLCG 50-140 modbus	-	-	-	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP
EFC 50-10	-	-	-	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
EFCG 50-10	-	-	-	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
EFLC 50-12	-	-	-	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
EFLCG 50-12	-	-	-	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
FC 50-11	-	-	-	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
FC 50-11T	-	-	-	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
FC 50-4	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
FC 50-4T	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP

LOWARA SINGLE PUMPS

Type	1~	3~	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
FC 50-8	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
FC 50-8T	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
FCG 50-11	-	-	-	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
FCG 50-11T	-	-	-	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
FCG 50-4	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
FCG 50-4T	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
FCG 50-8	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
FCG 50-8T	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
FLC 50-10	-	-	-	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
FLC 50-10T	-	-	-	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
FLC 50-13	-	-	-	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
FLC 50-13T	-	-	-	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
FLC 50-18T	-	-	-	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	WP
FLC 50-5	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
FLC 50-5T	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
FLC 50-8	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
FLC 50-8T	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
FLCG 50-10	-	-	-	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
FLCG 50-10T	-	-	-	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
FLCG 50-5	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
FLCG 50-5T	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
FLCG 50-8	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
FLCG 50-8T	-	-	-	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP

LOWARA DHW CIRCULATION PUMPS

Type	1~	3~	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
G ½									
EB 15-1/65 R	-	-	-	G ½	65	TacoFlow2 PURE 15-10/65	Rp ½	65	-
EB 15-1/65 RU	-	-	-	G ½	65	TacoFlow2 PURE 15-10/65	Rp ½	65	-
EBV 15-3/65	-	-	-	G ½	65	TacoFlow2 PURE 15-10/65	Rp ½	65	-
EBV 15-1/65	-	-	-	G ½	65	TacoFlow2 PURE 15-10/65	Rp ½	65	-
EBV 15-1/65 U	-	-	-	G ½	65	TacoFlow2 PURE 15-10/65	Rp ½	65	-

PUMP THREAD G 1¼

Calio-Therm S NCV S	•		10	G 1¼	110	TacoFlow2 PURE 20-10/110	G 1¼	110	-
Calio-Therm S NCV K	•		10	G 1¼	110	TacoFlow2 PURE 20-10/110	G 1¼	110	WP
CPG 12 R	•		10	G 1¼	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
CPG 14 R	•		10	G 1¼	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 12/15	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 12/15 T	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 12/30	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 12/30 T	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 20-15	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 20-30	•		10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP

PUMP THREAD G 1½

Calio-Therm S 25-40	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 22/40	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 22/40 T	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 22/55	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 22/55 T	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 25-40	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm R 22-2 E	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm R 22-5	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm R 24-3	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	R, WP
Riotronic ECO 25-40	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP

SALMSON SINGLE PUMPS

Type	1~	3~	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
PUMP THREAD G 1										
DYL 53-15P	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
NYL 13-15	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
NYL 33-15	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
NYL 43-15	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
NYL 53-15	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Priux home 40-15/130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Priux home 60-15/130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Sirix home 40-15/130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Sirix home 60-15/130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Sirix Jr 3m/130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Sirix Jr 5m/130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP

PUMP THREAD G 1½

AXESS 130 (NYi 53-25)	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
AXESS 180 (NYi 53-25)	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Axess NXi 53-25	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Axess NYi 53-25	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
NXL 33-25	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
NXL 13-25P	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
NXL 33-25P	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
NXL 43-25	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
NXL 53-25	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
NXL 53-25P	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
NXT 33-25P	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
NXT 53-25	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
NYL 33-25	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
NYL 43-25	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
NYL 53-25	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
NYT 53-25	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
NEC-1-T-25	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
NEC-1-M-25	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
NEC-2-T-25	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
NEC-2-M-25	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
Priux home 40-25/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Priux home 40-25/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Priux home 60-25/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Priux home 60-25/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Priux Master 25-55	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
Priux Master 25-65	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
Priux Master 25-90	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
Sirix home 40-25/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Sirix home 40-25/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Sirix home 60-25/130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Sirix home 60-25/180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Sirix Master 25-30	•		10	G 1½	180	TacoFlow2 25-70/180	TacoFlow2 ADAPT 25-70/180	G 1½	180	WP
Sirix Master 25-40	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
Sirix Master 25-60	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
Sirix Master 25-65	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
SIRIUX Jr 3m	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
SIRIUX Jr 5m	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP

PUMP THREAD G 2

Axess NXi 53-32	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
EURAMO 1010	•		-	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
NXL 13-32P	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
NXL 13-32	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
NXL 33-32P	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
NXL 43-32	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
NXL 53-32	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
NXL 53-32P	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
NXT 53-32	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Priux home 40-32/180	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Priux home 60-32/180	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Priux home 80-32/180	•		10	G 2	180	TacoFlow2 32-70/180	TacoFlow2 ADAPT 32-70/180	G 2	180	WP
Priux Master 32-55	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP

SALMSON SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
Priux Master 32-65	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
Priux Master 32-90	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
SCX 32-25		•	-	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
SCX 32-35		•	-	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
SCX 32-45		•	-	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
SCX 32-50		•	-	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
SCX 32-80		•	6/10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
SCX 32-80N		•	6/10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
Sirix home 40-32/180	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Sirix home 60-32/180	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Sirix Master 32-30	•		10	G 2	180	TacoFlow2 32-70/180	TacoFlow2 ADAPT 32-70/180	G 2	180	WP
Sirix Master 32-40	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
Sirix Master 32-60	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
Sirix Master 32-65	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
Sirix Master 32-90	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
SXE 32-40	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
SXE 32-80	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
SXM 32-25	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
SXM 32-35	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
SXM 32-45	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
SXM 32-50	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
SXM 32-80	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
SXM 32-80N	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
DN20										
NYL 33-20	•		-	DN20		TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	180	PM, WP
DN25										
1012-E/CB	-	-	-	DN25	158	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
1012-E/RU	-	-	-	DN25	158	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
1012-M/CB	-	-	-	DN25	158	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
1012-M/RU	-	-	-	DN25	158	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
1013/CB	-	-	-	DN25	158	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
1013/RU	-	-	-	DN25	158	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
1022-E/CB	-	-	-	DN25	158	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
1022-E/RU	-	-	-	DN25	158	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
1022-M/CB	-	-	-	DN25	158	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
1022-M/RU	-	-	-	DN25	158	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
1023/CB	-	-	-	DN25	158	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
1023/RU	-	-	-	DN25	158	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
CVX50-25	-	-	-	DN25	158	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
MX31	-	-	-	DN25	158	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
MX31B	-	-	-	DN25	158	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
MXA10-25	-	-	-	DN25	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
MXA25-25	-	-	-	DN25	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
MXA50-25	-	-	-	DN25	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
MXL10-25	-	-	-	DN25	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
MXL12-25P	-	-	-	DN25	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
MXL15-25	-	-	-	DN25	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
MXL25-25	-	-	-	DN25	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
MXL30-25	-	-	-	DN25	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
MXL30-25P	-	-	-	DN25	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
MXV12-25P	-	-	-	DN25	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
MYA50-25	-	-	-	DN25	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
MYL10-25	-	-	-	DN25	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
MYL12-25P	-	-	-	DN25	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
MYL15-25	-	-	-	DN25	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
MYL25-25	-	-	-	DN25	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
MYL30-25	-	-	-	DN25	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
MYL30-25P	-	-	-	DN25	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
MZA50-25	-	-	-	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
MZL10-20	-	-	-	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
MZL10-25	-	-	-	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
MZL12-20P	-	-	-	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
MZL12-25P	-	-	-	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
MZL15-20	-	-	-	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP

SALMSON SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
MZL15-25	-	-	-	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
MZL15-32	-	-	-	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
MZL25-20	-	-	-	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
MZL25-25	-	-	-	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
N2.5-2	-	-	-	DN25	206	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
NCP2.5-2	-	-	-	DN25	250	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
NCP2.5-3	-	-	-	DN25	250	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
NCP2.5-4	-	-	-	DN25	250	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
NXP33-25P	-	-	-	DN25	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
NXL 33-25	•	-	-	DN25	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
NYL 13-25 1- 130	•	-	-	DN25	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
NZL 33-40P-HX	-	-	-	DN25	120	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
S2.5-0	-	-	-	DN25	206	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	PM, WP
S2.5-1	-	-	-	DN25	206	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	PM, WP
S2.5-2	-	-	-	DN25	206	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	PM, WP
SB100V	-	-	-	DN25	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	GG, WP
SB100XL	-	-	-	DN25	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	GG, WP
SB50NV	-	-	-	DN25	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	GG, WP
SB50XA	-	-	-	DN25	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	GG, WP
Z2	-	-	-	DN25	158	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
ZOOM 130XL	•	-	-	DN25	170	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
ZOOM 150XA	•	-	-	DN25	195	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
ZOOM 210XL	•	-	-	DN25	210	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
ZOOM 225 NXL	•	-	-	DN25	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
ZOOM 225 NXL	•	-	-	DN25	175	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
ZOOM 225 NXL	•	-	-	DN25	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
ZOOM 225 NXL	•	-	-	DN25	225	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
ZOOM 245 NS	•	-	-	DN25	150	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
ZOOM 245 NS	•	-	-	DN25	195	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
ZOOM 245 NS	•	-	-	DN25	200	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
ZOOM 245 NS	•	-	-	DN25	245	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP

DN32

1010	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
1020	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
1025	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
1030	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
1040	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
3010	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
3020	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
1010-E	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
1010-M	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
1020-E	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
1020-M	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
A32	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
AM011	-	-	-	DN32	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO -80/180	G 2	180	WP
AM012	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
BP2	-	-	-	DN32	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO -60/180	G 2	180	WP
C1026NV	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
C1026V	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
C1026Y	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
C1030	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
C1030HT	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
C1030T	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
C1040	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
C1040HT	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
C1040T	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
C3015L	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
C3015LV	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
CX1030	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
CX1030B	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
CX1040	-	-	-	DN32	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
CXL100-32	-	-	-	DN32	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
CXL100-32-T4	•	-	-	DN32	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
CXL50-32	•	-	-	DN32	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
CXL50-32-T2	•	-	-	DN32	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP

SALMSON SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
CXL50-32-T4		•	-	DN32	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
CXL70-32		•	-	DN32	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
CXL70-32-T2		•	-	DN32	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
CXL70-32-T4		•	10	DN32	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
CXL80-32		•	-	DN32	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
CXL80-32-T4		•	-	DN32	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
MX32	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
MXA100-32	-	-	-	DN32	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
MXA10-32	-	-	-	DN32	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
MXA110-32	-	-	-	DN32	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO -60/180	G 2	180	WP
MXA25-32	-	-	-	DN32	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO -60/180	G 2	180	WP
MXA50-32	-	-	-	DN32	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO -60/180	G 2	180	WP
MXL10-32	-	-	-	DN32	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
MXL12-32P	-	-	-	DN32	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO -60/180	G 2	180	WP
MXL25-32	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
MXL30-32	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
MXL50-32	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
MYL15-32	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
MYL30-32	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
NXL13-32	-	-	-	DN32	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
NXL33-32	-	-	-	DN32	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
NXL53-32	-	-	-	DN32	180	TacoFlow MAXI 40-120/250F		DN40	250	WP
NCP3-2	-	-	-	DN32	206	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
NXP53-32P	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
P333	-	-	-	DN32	250	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
P334	-	-	-	DN32	250	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
S3-0	-	-	-	DN32	206	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
S3-1	-	-	-	DN32	206	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
S3-2	-	-	-	DN32	206	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
SCX32-80N	-	-	-	DN32	180	TacoFlow MAXI 40-120/250F		DN40	250	WP
Sirix Master 32-65F	•		6/10	DN32	220	TacoFlow MAXI 40-100/220F		DN40	220	WP
Sirix Master 32-70	•		6/10	DN32	220	TacoFlow MAXI 40-100/220F		DN40	220	WP
SRP3-1	-	-	-	DN32	206	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
SXM32-80N	-	-	-	DN32	180	TacoFlow MAXI 40-120/250F		DN40	250	WP
VA32	-	-	-	DN32	206	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
VA3-CB	-	-	-	DN32	206	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
VA3-RU	-	-	-	DN32	206	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
VP32	-	-	-	DN32	206	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
VP33	-	-	-	DN32	206	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
XA15R	-	-	-	DN32	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
XL20	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
XP2	-	-	-	DN32	158	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
XP21R	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
XP2R	-	-	-	DN32	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
XP3	-	-	-	DN32	225	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
XP33	-	-	-	DN32	250	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP

DN40

C1110B	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	WP
C1115 N		•	10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
C1116		•	10	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	WP
C1116 - M	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	WP
C1116 - T	-	-	-	DN40	250	TacoFlow MAXI 40-80/220F		DN40	220	WP
C1116 N		•	10	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
CX1042B		•	-	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
CX1042C		•	-	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
CX1400	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
CX1400 - M	•			DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
CX1400 - T		•		DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
CX14001B	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
CX14001B - M	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
CX14001B - T	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
CX1400B	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
CX1400B - M	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
CX1400B - T	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP
CX1401	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F		DN40	250	WP

SALMSON SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
CX1401 - M	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
CX1401 - T	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
CX1401B - M	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
CX1401B - T	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
EC1115		•	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
EC1116		•	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
ECX1042	-	-	10	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
ECX1400	-	-	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
ECX1401		•	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
Priux Master 40-30	•		6/10	DN40	220	TacoFlow MAXI 40-120/250F	DN40	250	WP
Priux Master 40-60	•		6/10	DN40	220	TacoFlow MAXI 40-120/250F	DN40	250	WP
Priux Master 40-80	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	WP
SCX 40-30N		•	6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	WP
SCX 40-40		•	6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	WP
SCX 40-40N		•	6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	WP
SCX 40-80		•	6/10	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
SCX 40-80N		•	6/10	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
Sirix Master 40-30	•	-	6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
Sirix Master 40-60	•	-	6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
Sirix Master 40-65	•	-	6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
Sirix Master 40-80	•	-	6/10	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
Sirix Master 40-110	•		6/10	DN40	250	TacoFlow MAXI 40-180/250F	DN40	250	WP
SXE 40-25	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
SXE 40-40	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	WP
SXE 40-80	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
SXM40-40N	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
SXM40-80N	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
SXM 40-110	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	WP
SXM 40-110N	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	WP
SXM 40-30N	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
SXM 40-40	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
SXM 40-40N	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
SXM 40-80	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
SXM 40-80N	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP

DN50

C1120		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
C1120-M	-	-	-	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
C1120-T	-	-	-	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
C1120B		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
C1120N		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
C1120B - M	-	-	-	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
C1120B - T	-	-	-	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
C1120HT - M	-	-	-	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
C1120HT - T	-	-	-	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
P513	-	-	-	DN50	300	TacoFlow MAXI 50-80/240F	DN50	240	WP
P514	-	-	-	DN50	300	TacoFlow MAXI 50-80/240F	DN50	240	WP
P521	-	-	-	DN50	300	TacoFlow MAXI 50-80/240F	DN50	240	WP
P522	-	-	-	DN50	300	TacoFlow MAXI 50-80/240F	DN50	240	WP
P523	-	-	-	DN50	300	TacoFlow MAXI 50-80/240F	DN50	240	WP
Priux Master 50-60	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
Priux Master 50-70	•		6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
Priux Master 50-80	•		6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
SCX 50-25N		•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
SCX 50-50		•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
SCX 50-50N		•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
SCX 50-90		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
SCX 50-90N		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
Sirix Master 50-60	•		6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
Sirix Master 50-65	•		6/10	DN50	240	TacoFlow MAXI 50-120/280F	DN50	280	WP
Sirix Master 50-70	•		6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	PM, WP
Sirix Master 50-80	•		6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	PM, ED, WP
Sirix Master 50-110	•		6/10	DN50	280	TacoFlow MAXI 50-180/280F	DN50	280	PM, ED, WP
SRP5-1	-	-	-	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
SRP5-2	-	-	-	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
SXE 50-50	•		6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP

SALMSON SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
SXE 50-90	•	-	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
SXM 50-25	•	-	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
SXM 50-25N	•	-	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
SXM 50-50	•	-	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
SXM 50-50N	•	-	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
SXM 50-90	•	-	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
SXM 50-90N	•	-	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
VP51	-	-	-	DN50	300	TacoFlow MAXI 50-80/240F	DN50	240	WP
VP52	-	-	-	DN50	300	TacoFlow MAXI 50-80/240F	DN50	240	WP
XP52	-	-	-	DN50	290	TacoFlow MAXI 50-80/240F	DN50	240	WP
ZOOM 260 NS	•	-	-	DN50	210	TacoFlow MAXI 50-80/240F	DN50	240	WP
ZOOM 260 NS	•	-	-	DN50	260	TacoFlow MAXI 50-80/240F	DN50	240	WP
ZOOM 260 L	•	-	-	DN50	210	TacoFlow MAXI 50-80/240F	DN50	240	WP
ZOOM 260 L	•	-	-	DN50	260	TacoFlow MAXI 50-80/240F	DN50	240	WP
ZOOM 300 L	•	-	-	DN50	250	TacoFlow MAXI 50-100/280F	DN50	280	WP
ZOOM 300 L	•	-	-	DN50	300	TacoFlow MAXI 50-100/280F	DN50	280	WP
ZOOM 300 NB-T2	•	-	-	DN50	250	TacoFlow MAXI 50-100/280F	DN50	280	WP
ZOOM 300 NB-T2	•	-	-	DN50	300	TacoFlow MAXI 50-100/280F	DN50	280	WP
ZOOM 300 NB-T4	•	-	-	DN50	250	TacoFlow MAXI 50-100/280F	DN50	280	WP
ZOOM 300 NB-T4	•	-	-	DN50	300	TacoFlow MAXI 50-100/280F	DN50	280	WP

SALMSON DHW CIRCULATION PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
G ½									
EB 15-1/65 R	-	-	-	G ½	65	TacoFlow2 PURE 15-10/65	Rp ½	65	-
EB 15-1/65 RU	-	-	-	G ½	65	TacoFlow2 PURE 15-10/65	Rp ½	65	-
EBV 15-3/65	-	-	-	G ½	65	TacoFlow2 PURE 15-10/65	Rp ½	65	-
EBV 15-1/65	-	-	-	G ½	65	TacoFlow2 PURE 15-10/65	Rp ½	65	-
EBV 15-1/65 U	-	-	-	G ½	65	TacoFlow2 PURE 15-10/65	Rp ½	65	-

PUMP THREAD G 1¼

Calio-Therm S NCV S	•	-	10	G 1¼	110	TacoFlow2 PURE 20-10/110	G 1¼	110	-
Calio-Therm S NCV K	•	-	10	G 1¼	110	TacoFlow2 PURE 20-10/110	G 1¼	110	WP
CPG 12 R	•	-	10	G 1¼	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
CPG 14 R	•	-	10	G 1¼	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 12/15	•	-	10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 12/15 T	•	-	10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 12/30	•	-	10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 12/30 T	•	-	10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 20-15	•	-	10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 20-30	•	-	10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP

PUMP THREAD G 1½

Calio-Therm S 25-40	•	-	10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 22/40	•	-	10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 22/40 T	•	-	10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 22/55	•	-	10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 22/55 T	•	-	10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm C 25-40	•	-	10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm R 22-2 E	•	-	10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm R 22-5	•	-	10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Riotherm R 24-3	•	-	10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	R, WP
Riotronic ECO 25-40	•	-	10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP

WILO SINGLE PUMPS

Type	1~	3~	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
PUMP THREAD G 1										
Star-E 15/1-3	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Star-E 15/1-5	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Star-E 20/1-3	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Star-E 20/1-5	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Star-RS 15/4-130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Star-RS 15/6-130	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Stratos-Eco 15/1-3	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Stratos-Eco 15/1-5	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Stratos PICO 15/1-4	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Stratos PICO 15/1-6	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Yonos PICO 15/1-4	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
Yonos PICO 15/1-6	•		10	G 1	130	TacoFlow2 15-60/130	TacoFlow2 ADAPT 15-60/130	G 1	130	WP
PUMP THREAD G 1½										
P 20-1	•		10	1½	140	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
P 20-2	•		10	1½	140	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
S 20-1	•		6	1½	140	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
S 20-2	•		6	1½	140	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	PM, WP
USp 20 r	•		6	1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
USp 20/60	•		6	1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
PUMP THREAD G 1½										
ClassicStar-RS 25/2	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	130	WP
ClassicStar-RS 25/4	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
ClassicStar-RS 25/6	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
E 25/1-5	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	130	WP
EasyStar-E 25/1-3	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
EasyStar-E 25/1-5	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
H 25	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
H 25-1	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
H 25-2	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
P 25	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
P 25-1	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
P 25-2	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
P 25-40	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	130	WP
ProfiStar-EL25/1-5	•		10	G 1½	130	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	130	WP
ProfiStar-EP25/1-5	•		10	G 1½	130	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	130	WP
RH 25	•	•	10	G 1½	130	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	130	WP
RP 25	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
RP 25/ 60 r	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
RP 25/ 80 r (v)	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
RP 25/100 r	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
RP 25/100 v	•	•	10	G 1½	130	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	130	WP
RP 25-1	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
RS 25	•		10	G 1½	130	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	130	WP
RS 25 v	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
RS 25/3 E (n)	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
RS 25/50	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
RS 25/50 (130)	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
RS 25/50 r	•		10	G 1½	130	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	130	WP
RS 25/60 r (130)	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
RS 25/60 v	•		10	G 1½	130	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	130	WP
RS 25/60 v (130)	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
RS 25/70 r	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
RS 25/70 r (130)	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
RS 25/70 v	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
RS 25/70 v (130)	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
RS 25/80	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
RS 25/80 r (v)	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
RS 25-1	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
RS 25-1 v	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
RS 25-2	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
RSE 25	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
S 25	•		6	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
S 25-1	•		6	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP

WILO SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
S 25-1 (R1)	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
S 25-2	•		6	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
S 30	•		6	G 1½	220	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	PM, WP
S 30-1	•	•	6	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
S 30-1 (R1)	•	•	10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Smart 25/4	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Smart 25/4-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Smart 25/6	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Smart 25/6-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Spar-Tronic RS 25/3 E	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Spar-Tronic RSE 25	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Star-E 25/1-3	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Star-E 25/1-3-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Star-E 25/1-5	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Star-E 25/1-5-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Star-E 25/2	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Star-EL 25/1-5	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Star-EP25/1-5	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Star-EP25/1-5 SSM	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Star-RS 25/2	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Star-RS 25/4	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Star-RS 25/4-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Star-RS 25/6	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Star-RS 25/6-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Star-RSL 25/6 10 1- 180	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Stratos 25/1-4	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
Stratos 25/1-6	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
Stratos 25/1-8	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
Stratos 25/1-10	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
Stratos-Eco 25/1-3	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Stratos-Eco 25/1-3-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Stratos-Eco 25/1-5	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Stratos-Eco 25/1-5 BMS	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Stratos-Eco 25/1-5-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Stratos-Eco-L 25/1-5	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Stratos PICO 25/1-4	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Stratos PICO 25/1-4-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Stratos PICO 25/1-6	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Stratos PICO 25/1-6-RG	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Stratos PICO 25/1-6-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
TOP-E 25/1-7	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
TOP-RS 25/7	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
TOP-S 25/10	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
TOP-S 25/5	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
TOP-S 25/7	•		10	G 1½	180	TacoFlow3 MAX 25-60/180	TacoFlow3 MAX PRO 25-60/180	G 1½	180	WP
TOP-SV 25/7	•	•	10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
Yonos PICO 25/1-4	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Yonos PICO 25/1-4-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Yonos PICO 25/1-6	•		10	G 1½	180	TacoFlow2 25-60/180	TacoFlow2 ADAPT 25-60/180	G 1½	180	WP
Yonos PICO 25/1-6-130	•		10	G 1½	130	TacoFlow2 25-60/130	TacoFlow2 ADAPT 25-60/130	G 1½	130	WP
Yonos PICO 25/1-8	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
Yonos MAXO 25/0,5-7	•		10	G 1½	180	TacoFlow3 MAX 25-80/180	TacoFlow3 MAX PRO 25-80/180	G 1½	180	WP
Yonos MAXO 25/0,5-10	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP
Yonos MAXO 25/0,5-12	•		10	G 1½	180	TacoFlow3 MAX 25-100/180	TacoFlow3 MAX PRO 25-100/180	G 1½	180	WP

PUMP THREAD G 2

ClassicStar-RS30/2	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
ClassicStar-RS30/4	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
ClassicStar-RS30/6	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
D 30	•	•	10	G 2	206	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
E 30/1-5	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
EasyStar-E 30/1-3	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
EasyStar-E 30/1-5	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
H 30	•	•	10	G 2	250	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
H 30-1 (220mm)	•	•	10	G 2	220	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
H 30-1 (250mm)	•	•	10	G 2	250	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP

WILO SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)		G/DN	L [mm]	Adaption/Note
H 30-2 (220m)	•	•	10	G 2	220	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
H 30-2 (250mm)	•	•	10	G 2	250	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
H 30-60	•	•	10	G 2	250	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
H 30-80	•	•	10	G 2	250	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	PM, WP
ProfiStar-EP30/1-5	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
RP 30	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
RP 30 (220mm)	•	•	10	G 2	220	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
RP 30/ 80 r (v)	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
RP 30/ 100 r (v)	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
RP 30-1	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
RS 30	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
RS 30 v	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
RS 30/100 r (v)	•	•	10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
RS 30/50 r (v)	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
RS 30/60 r (v)	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
RS 30/70 r (v)	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
RS 30/80 (r) (v)	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
RS 30-1 (v)	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
RS 30-2	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
S 25 (R1¼)	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
S 25-1 (R1¼)	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
S 25-2	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
S 30	•	•	6	G 2	220	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
S 30/100	•	•	6/10	G 2	220	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	PM, WP
S 30-1	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
S 30-2	•	•	10	G 2	220	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	PM, WP
Smart 30/4	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Smart 30/6	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Star-E 30/1-3	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Star-E 30/1-5	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Star-EP 30/1-5	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Star-EP30/1-5 SSM	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Star-RS 30/2	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Star-RS 30/4	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Star-RS 30/6	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Star-RS 30/7	•		10	G 2	180	TacoFlow2 32-70/180	TacoFlow2 ADAPT 32-70/180	G 2	180	
Star-RS 30/8	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	
Star-Wilo-E 30/1-5	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Stratos 30/1-4	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
Stratos 30/1-6	•		10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
Stratos 30/1-8	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
Stratos 30/1-10	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
Stratos 30/1-12	•		10	G 2	180	TacoFlow3 MAXI 40-120/250F		DN40	250	WP
Stratos-Eco 30/1-3	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Stratos-Eco 30/1-5	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Stratos-Eco 30/1-5 BMS	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Stratos PICO 30/1-4	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Stratos PICO 30/1-6	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
TOP-D 30	•	•	10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
TOP-E 30/1-10	•		10	G 2	180	TacoFlow3 MAXI 40-120/250F		DN40	250	WP
TOP-E 30/1-7	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
TOP-RS 30/10	•	•	10	G 2	180	TacoFlow3 MAXI 40-120/250F		DN40	250	WP
TOP-RS 30/7	•	•	10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
TOP-S 30/10	•	•	10	G 2	180	TacoFlow3 MAXI 40-120/250F		DN40	250	WP
TOP-S 30/4	•	•	10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
TOP-S 30/5	•	•	10	G 2	180	TacoFlow3 MAX 32-60/180	TacoFlow3 MAX PRO 32-60/180	G 2	180	WP
TOP-S 30/7	•	•	10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
TOP-SV 30/7	•	•	10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
USp 32 r	•	•	10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
Yonos PICO 30/1-4	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Yonos PICO 30/1-6	•		10	G 2	180	TacoFlow2 32-60/180	TacoFlow2 ADAPT 32-60/180	G 2	180	WP
Yonos PICO 30/1-8	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
Yonos MAXO 30/0,5-7	•		10	G 2	180	TacoFlow3 MAX 32-80/180	TacoFlow3 MAX PRO 32-80/180	G 2	180	WP
Yonos MAXO 30/0,5-10	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP
Yonos MAXO 30/0,5-12	•		10	G 2	180	TacoFlow3 MAX 32-100/180	TacoFlow3 MAX PRO 32-100/180	G 2	180	WP

WILO SINGLE PUMPS


Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
DN32									
P 30	•		10	DN32	180	TacoFlow MAXI 40-120/250F	DN40	250	PM, WP
Stratos 32/1-10	•		10	DN32	180	TacoFlow MAXI 40-100/250F	DN40	220	PM, WP
Stratos 32/1-12	•		6/10	DN32	180	TacoFlow MAXI 40-120/250F	DN40	250	PM, WP
DN40									
D 40	•	•	6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
E 40/1-5	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
P 40	•		6	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
P 40/100 r (v)	•		6	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
P 40/125				DN40	320	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
P 40/140		•	6/10	DN40	320	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
P 40/140 v		•	6/10	DN40	320	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
P 40/160		•	6/10	DN40	320	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
P 40/160 r (v)		•	6/10	DN40	320	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
P 40-1	•	•	6/10	DN40	250	TacoFlow MAXI 40-100/220F	DN40	220	PM, WP
P 40-2	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
P 40-90	-	-	-	DN40	250	TacoFlow MAXI 40-100/220F	DN40	220	PM, WP
RS 40	•	•	6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
S 40	•	•	6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
S 40/70 r (v)	•	•	6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
S 40/80 r (v)	•	•	6/10	DN40	220	TacoFlow MAXI 40-120/250F	DN40	250	WP
S 40/90	•	•	6/10	DN40	250	TacoFlow MAXI 40-100/220F	DN40	220	PM, WP
S 40/90 r (v)	•	•	6/10	DN40	220	TacoFlow MAXI 40-100/250F	DN40	220	PM, WP
Star-E 40/1-5	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
Stratos 40/1-4	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
Stratos 40/1-8	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
Stratos 40/1-10	•		6/10	DN40	220	TacoFlow MAXI 40-100/220F	DN40	220	WP
Stratos 40/1-12	•		6/10	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
Stratos 40/1-16	•		6/10	DN40	250	TacoFlow MAXI 40-180/250F	DN40	250	WP
TOP-D 40		•	6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
TOP-E 40/1- 4	•	-	-	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
TOP-E 40/1-10		•	-	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
TOP-EV 40/1-4	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
TOP-S 40/4	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
TOP-S 40/7	•		6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	PM, WP
TOP-S 40/10		•	6/10	DN40	250	TacoFlow MAXI 40-100/220F	DN40	220	WP
TOP-S 40/15		•	6/10	DN40	250	TacoFlow MAXI 40-180/250F	DN40	250	WP
TOP-SV 40/4	•	•	6/10	DN40	250	TacoFlow MAXI 40-80/220F	DN40	220	WP
TOP-Z 40	-	-	-	DN40	250	TacoFlow MAXI 40-100/250F	DN40	220	PM, WP
USp 40 r	-	-	-	DN40	250	TacoFlow MAXI 40-100/250F	DN40	220	PM, WP
Yonos MAXO 40/0,5-4	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
Yonos MAXO 40/0,5-8	•		6/10	DN40	220	TacoFlow MAXI 40-80/220F	DN40	220	WP
Yonos MAXO 40/0,5-12			6/10	DN40	250	TacoFlow MAXI 40-120/250F	DN40	250	WP
Yonos MAXO 40/0,5-16	•		6/10	DN40	250	TacoFlow MAXI 40-180/250F	DN40	250	WP
ZP 40 (GG)	-	-	-	DN40	250	TacoFlow MAXI 40-100/220F	DN40	220	PM, WP
ZP 40 (RG)	-	-	-	DN40	220	TacoFlow MAXI 40-100/220F	DN40	220	PM, WP
DN50									
D 50	•	•	6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
E 50/1-7	•		6	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
E 50-2	•	•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
H 50-1	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
H 50-2	•	•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
P 50		•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
P 50/125 r		•	6	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
P 50/125 v		•	6	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
P 50/140		•	6/10	DN50	340	TacoFlow MAXI 50-100/280F	DN50	280	WP
P 50/160		•	6	DN50	340	TacoFlow MAXI 50-100/280F	DN50	280	PM, WP
P 50/160 r (v)		•	6	DN50	340	TacoFlow MAXI 50-100/280F	DN50	280	WP
P 50/180		•	6	DN50	460	TacoFlow MAXI 50-120/280F	DN50	280	WP
P 50/200		•	10	DN50	460	TacoFlow MAXI 50-120/280F	DN50	280	WP
P 50/224		•	10	DN50	460	TacoFlow MAXI 50-120/280F	DN50	280	WP
P 50/250		•	10	DN50	460	TacoFlow MAXI 50-120/280F	DN50	280	WP
P 50/250 r		•	10	DN50	440	TacoFlow MAXI 50-180/280F	DN50	280	WP
P 50/250 v	•	•	6/10	DN50	440	TacoFlow MAXI 50-180/280F	DN50	280	WP

WILO SINGLE PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
P 50-1	•	•	10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
P 50-115	•	•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
P 50-2	•	•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
RS 50	•	•	6/10	DN50	240	TacoFlow MAXI 50-100/280F	DN50	280	WP
S 50	•	•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
S 50/100		•	6/10	DN50	240	TacoFlow MAXI 50-100/280F	DN50	280	WP
S 50/100 r (v)		•	6/10	DN50	240	TacoFlow MAXI 50-100/280F	DN50	280	WP
S 50/125 r (v)		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN51	280	WP
S 50/140 r		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
S 50/80 r (v)	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
Star-E 50/1-7	•	•	6/10	DN50	240	TacoFlow MAXI 50-100/280F	DN50	280	WP
Stratos 50/1-8	•	•	6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
Stratos 50/1-9	•	•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
Stratos 50/1-10	•	•	6/10	DN50	240	TacoFlow MAXI 50-120/280F	DN50	280	PM, WP
Stratos 50/1-12	•	•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
Stratos 50/1-16	•	•	6/10	DN50	340	TacoFlow MAXI 50-180/280F	DN50	280	PM, WP
TOP-D 50	•	•	6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
TOP-E 50/1-10	•	•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
TOP-E 50/1-6	•	•	6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
TOP-E 50/1-7	•	•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
TOP-EV 50/1-6	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	WP
TOP-S 50/10		•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
TOP-S 50/15		•	6/10	DN50	340	TacoFlow MAXI 50-120/280F	DN50	280	PM, WP
TOP-S 50/4	•	•	6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	WP
TOP-S 50/7		•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
TOP-SV 50/60	•	•	6/10	DN50	280	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
TOP-Z 50	-	-	-	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
USp 50 r	-	-	-	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
Yonos MAXO 50/0,5-8	•	•	6/10	DN50	240	TacoFlow MAXI 50-80/240F	DN50	240	PM, WP
Yonos MAXO 50/0,5-9	•	•	6/10	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
Yonos MAXO 50/0,5-12	•	•	6/10	DN50	280	TacoFlow MAXI 50-120/280F	DN50	280	WP
Yonos MAXO 50/0,5-16	•	•	6/10	DN50	340	TacoFlow MAXI 50-180/280F	DN50	280	PM, WP
ZP 50 (GG)	-	-	-	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
ZP 50 (RG)	-	-	-	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
ZS 50 (GG)	-	-	-	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP
ZS 50 (RG)	-	-	-	DN50	280	TacoFlow MAXI 50-100/280F	DN50	280	WP

WILO DHW CIRCULATION PUMPS

Type	1-	3-	PN	G/DN	L [mm]	TacoFlow Type(s)	G/DN	L [mm]	Adaption/Note
PUMP THREAD R ½									
Star-Z 15	•		10	R ½	84	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
Star-Z 15 A	•		10	R ½	138	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
Star-Z 15 A	•		10	R ½	138	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
Star-Z 15 A (A Press)	•		10	R ½	166	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
Star-Z 15 C	•		10	R ½	138	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
Star-Z 15 C (C Press)	•		10	R ½	166	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
Star-Z 15 TT	•		10	R ½	138	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
Star-Z 15 TT (TT Press)	•		10	R ½	166	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
Z 15	•		10	R ½	84	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
Z 15 A	•		10	R ½	140	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
Z 15 C	•		10	R ½	140	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
NOVA	•		10	Rp ½	84	TacoFlow2 PURE 15-10/65	Rp ½	65	PM, WP
PUMP THREAD G 1									
Z 20	•		10	G1	140	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Z 20/40	•		10	G1	140	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Star-Z 20/1	•		10	G1	140	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Star-Z 20/2	•		10	G1	140	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
ZS 20	•		10	G1	140	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
ZS 20-1	•		10	G1	140	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
ZS 20-2	•		10	G1	140	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
NOVA A	•		10	G1	138	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
NOVA C	•		10	G1	138	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
NOVA T	•		10	G1	138	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
PUMP THREAD G 1¼									
TOP-Z 20/4	•	•	10	G 1¼	150	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
ZP 20-1 10	•		10	G 1¼	140	TacoFlow2 PURE 20-09/110	G 1¼	110	WP
ZP 20-2	•		10	G 1¼	140	TacoFlow2 PURE 20-09/110	G 1¼	110	WP
ZS 20-1	•		10	G 1¼	140	TacoFlow2 PURE 20-09/110	G 1¼	110	WP
ZS 20-2	•		10	G 1¼	140	TacoFlow2 PURE 20-09/110	G 1¼	110	WP
PUMP THREAD G 1½									
IL-Z 25/2	•	•	10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
IP-Z 25/2	•	•	10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Star-RS 25/4 RG	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Star-Z 25/2	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Z 25	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
Z 25/2	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
ZH 25	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
ZP 25	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
ZP 25-1	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
ZP 25-2	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP
ZS 25	•		10	G 1½	180	TacoFlow2 PURE C 15-40/130	G 1	130	PM, WP



Taconova reserves the right to make changes without prior notice.

Taconova Group AG

Neunbrunnenstrasse 40 | CH-8050 Zürich
T +41 44 735 55 55 | F +41 44 735 55 02
info@taconova.com

Taconova GmbH

Rudolf-Diesel-Straße 8 | DE-78224 Singen
T +49 7731 98 28 80 | F +49 7731 98 28 88
deutschland@taconova.com

Taconova Group AG

Kostelecká 879/59 | CZ-196 00 Praha 9-Čakovice
T +420 283 930 810 | F +420 266 310 386
cesko-slovensko@taconova.com

Taconova Polska Sp z.o.o (by Grupa Termovent)

ul.Trójpole 3 | PL-61-693 Poznań
T +48 61 227 84 21
polska@taconova.com

TACO ITALIA S.r.L.

Via Galileo Galilei, 89/91 | IT-36066 Sandrigo (VI)
T +39 0444 666800 | F +39 0444 666801
info@tacoitalia.com | tacoitalia.com

